



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)
Supported payment types and examples

Danske Bank Guideline to payments in ISO 20022 XML format (pain.001.001.03)

This document describes how to distinguish between the variety of payments supported by Danske Bank using ISO 20022 XML CustomerCreditTransferInitiation (pain.001.001.03) based on Common Global Implementation Market Practice (CGI-MP) recommendations and the various country specific usage

The table below only serves to distinguish between the several types of payments supported by Danske Bank. In addition to the tags mentioned other required tags must be filled in too.

For a full list of supported tags please see the document “Danske Bank MIG - ISO 20022 XML CustomerCreditTransferInitiation (pain.001.001.03)”



Danske Bank Message Implementation Guide
 Common Global Implementation Market Practice (CGI-MP)
 Supported payment types and examples

Contents

Change log.....3

Danish payment types.....8

Norwegian payment types13

Swedish payment types15

Finnish payment types19

English payment types22

Irish payment types23

Polish payment types24

Foreign payment types.....26

Notes30

Denmark - sample files33

Norway - sample files73

Sweden - sample files93

Finland - sample files.....119

Great Britain - sample files.....145

Ireland - sample files153

Poland - sample files159

Foreign payment types - sample files.....175



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Change log

Version	Date	Change
1.0	05.10.2012	Document created
1.1	19.12.2012	<p>Various typos are corrected.</p> <p>Tags listed for all cheque or cash payment types now include 2.79 Cdtr name and address.</p> <p>All Norwegian sample files updated to comply with BSK implementation guide.</p> <p>Tag 2.80:1.1.6 Prty is removed from 'Norwegian account transfer - KID reference'.</p> <p>'Norwegian account transfer - invoice' added.</p> <p>Tag 2.61 DlvrTo is removed from 'Norwegian cash payment'.</p> <p>All Finnish sample files updated.</p> <p>Tags listed in 'Finnish account transfer - structured message' have changed (2.106 Issr has been removed and 2.104 Cd has been added).</p> <p>"OCR" is removed from 'Finnish account transfer - OCR reference' and 'Finnish express account transfer - OCR reference'.</p> <p>Example of 'Finnish account transfer - multiple occurrences of structured message' added.</p> <p>'Finnish account transfer - tax message' changed to 'Finnish account transfer - supplementary tax payment' and tags changed (2.123 Cd, 2.126 Ref and 2.129 AddtlRmtInf have been removed and 2.99 Ustrd including text has been added).</p> <p>'Finnish account transfer - Repetitive payment' changed to 'Repetitive payment using Danske Bank Rep. payments register (Cross border)' and tag 2.87 Cd added.</p> <p>"(Only Denmark)" added to 'Foreign cheque - Cheque to be collected in branch'.</p> <p>"address" added to 'Foreign cheque - Cheque to be sent to beneficiary'.</p>



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

		<p>All Transfer from account abroad sample files updated. Example file for 'Foreign account transfer - SEPA transfer' added. 'Financial/treasury transfers - Capital payment (only Finland)' sample file updated.</p>
1.2	27.01.2013	<p>"Only one occurrence of KID reference supported" is removed from 'Norwegian account transfer - KID reference'.</p> <p>"Only one occurrence of invoice supported" is removed from 'Norwegian account transfer - invoice'.</p> <p>"Danske Bank supports multiple occurrences of structured message. If both 2.123 Cd, 2.126 Ref, 2.104 Cd, 2.107 Nb are filled in in one structured message then 2.123 Cd and 2.126 Ref will be ignored. Please see example of multiple occurrences of KID reference and invoice, including use of 2.104 Cd for credit notes and use of 2.109 RfrdDocAmt" is added to Norwegian account transfer - KID reference and invoice.</p>
1.3	16.09.2013	<p>"2.88 <Prtry> Short message for creditor (Max. 18 char)" is replaced by "2.99 <Ustrd> Unstructured advice for creditor (Max. 140 char)" in Irish account transfer - External payment, Irish account transfer - Internal payment and Irish account transfer - EFTS payment.</p> <p>Sample files are updated accordingly.</p>
1.4	06.11.2013	<p>In 2013 there will be some changes in the clearing of Danish account transfers.</p> <p>18th August 2013: Phasing out:</p> <ul style="list-style-type: none"> • Danish account transfer: Immediate advice, letter to beneficiary <p>6th November 2013: Phasing out:</p> <ul style="list-style-type: none"> • Danish account transfer: Short-form advice, entry text on account statement • Danish account transfer: Long-form advice, enclosed with next account statement <p>Introducing:</p> <ul style="list-style-type: none"> • Danish account transfer: Standard transfer (night clearing) • Danish account transfer: Same-day transfer (day clearing)



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

		If you continue to use the phased out payment types after August 18 th and November 6 th 2013, Danske Bank will not reject the payments but simply transform them into 'Standard transfers' with short form and/or long form advice.
1.5	27.10.2014	21 st November a new Danish account transfer Express and two new references are introduced. The following Danish payment types including sample files are added: <ul style="list-style-type: none"> • Standard transfer with RF Creditor reference • Same-day transfer with RF Creditor reference • Express transfer with advice • Express transfer with RF Creditor reference 'EasyAccount' replaced with 'NemKonto' EFTS payment type and example are removed from Irish payment types
1.6	08.12.2014	2.80 CdtrAcct updated for domestic Finnish payment types to require IBAN for creditor account for SEPA payments. Sample files are updated accordingly.
1.7	31.03.2015	Danish cheque, Norwegian cash payment, Swedish cash payment and account transfer - long-form advice updated to specify PstCd details Removed Long-form advice Bankgiro transfers as this is not supported. Removed CdtrAgt from Danish Cheque example.
1.8	07.07.2016	Additional info updated for payment type 'Transfer from account abroad (MT101)'
1.9	11.07.2016	Additional info updated for payment types <ul style="list-style-type: none"> • 'Danish Salary' • 'Norwegian Salary' • 'Swedish Salary' • 'Finnish Salary'
2.0	18.10.2016	Additional info updated for Norway and Sweden foreign transfers. Removed 'Swedish PlusGiro sweeping transfer' description and example as this is not supported.



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

2.1	13.11.2016	<p>Introduction of MobilePay Payout in Denmark.</p> <p>Removed 'Danish cheque' description and example due to phasing out of Danish cheques after 31.10.2016.</p> <p>Added example for Polish account transfer using BIC on CdtrAgt.</p>
2.3	03.11.2016	Removed Additional Text under Polish express account transfer.
2.4	15.12.2016	Removed German check as this is not supported.
2.5	13.01.2017	Added a link to example on an Estonian reference payment under Foreign payment types. Additional info is updated for Norwegian account transfer.
2.6	14.02.2018	Removed references to Polish ZUS payments due to phasing out
2.7	24.05.2018	Introduction of Split payments for Poland.
2.8	11.03.2019	<p>Additional info updated regarding Regulatory Reporting in Sweden and Norway when requesting a Foreign Account Transfer.</p> <p>Added an example of Swedish Bankgiro Transfer with long-form advice</p> <p>Added info about Neutral disposal date/Neutral date of availability regarding salary payments in Finland</p> <p>Removed information about MobilePay Payout as the payment type is no longer available</p>
2.9	07.10.2019	SEPA Instant possibility in domestic Finnish account transfer added
3.0	17.10.2019	<LclInstrm> <Prtry>CII</Prtry> </LclInstrm> is removed from foreign cheque sample files
3.1	25.02.2021	Nordic Salary and Nordic Credit Transfer added under Swedish payment types and examples
3.2	15.03.2021	Nordic Salary and Nordic Credit Transfer moved to a separate section
3.3	01.07.2021	<p>Removed Finnish account transfer with structured advice and Supplementary tax payments</p> <p>Added Finnish SEPA Instant account transfer with Reference</p> <p>Added example on Foreign SEPA Instant account transfer</p>



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

		Additional info for Norwegian account transfer has been updated
3.4	07.02.2022	Removed Foreign cheque to be collected in a Danske Bank branch. Removed support for German payments
3.5	22.02.2022	Nordic Salary updated
3.6	20.04.2022	All examples have been reviewed and updated
3.7	10.10.2022	Additional info added for Swedish Bankgiro transfer with OCR Added Swedish account transfer with structured advice Added Swedish Bankgiro transfer with structured advice
3.8	30.12.2022	Minor updates done
3.9	18.04.2023	Examples reviewed.
4.0	02.05.2023	Disclaimer inserted for 'P27 Nordic Credit Transfer (In SEK and from Swedish accounts only)
4.1	06.09.2023	Now, Swedish salary payments get confidential by default and all text related to using CONF for Swedish salary payments is removed
4.2	11.10.2023	Note about Swedish salary and Pension payments being confidential by default is added
4.3	15.12.2023	Nordic Salary and Nordic Credit Transfer are removed
4.4	08.07.2024	Additional info updated for Transfer from abroad and Swedish salary CdtrAgt removed under Danish Inpayment form examples Added Foreign transfer - ordinary without ClrSysMblId

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
Danish payment types						
Danish account transfer	Standard transfer with advice	2.2	<PmtMtd>	'TRF'	link	End-to-end reference can be used in Danish account transfers and will be sent to beneficiary
		2.88	<Prtry>	Short message for creditor (Max. 20 char)		
		2.99	<Ustrd>	Unstructured advice for creditor (Max. 1435 char)		
	2.2	<PmtMtd>	'TRF'	link		
Standard transfer with RF Creditor reference	2.123	<Cd>	'SCOR'			
	2.125	<Cd>	'ISO'			
	2.126	<Ref>	RF Creditor reference (ISO 11649) (Max. 25 char)			
Same-day transfer with advice	2.2	<PmtMtd>	'TRF'	link		
	2.12/2.37	<Cd>	'SDCL'			
	2.88	<Prtry>	Short message for creditor (Max. 20 char)			
Same-day transfer with RF Creditor reference	Same-day transfer with advice	2.99	<Ustrd>	Unstructured advice for creditor (Max. 1435 char)	link	
		2.2	<PmtMtd>	'TRF'		
		2.12/2.37	<Cd>	'SDCL'		
	Same-day transfer with RF Creditor reference	2.123	<Cd>	'SCOR'		
2.125		<Cd>	'ISO'			
2.126		<Ref>	RF Creditor reference (ISO 11649) (Max. 25 char)			



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
Danish account transfer	Express Transfer with advice	2.2 2.9/2.34 2.12/2.37 2.88 2.99	<PmtMtd> <Cd> <Cd> <Prty> <Ustrd>	'TRF' 'URGP' 'SDCL' Short message for creditor (Max. 20 char) Unstructured advice for creditor (Max. 1435 char)	link	
	Express Transfer with RF Creditor reference	2.2 2.9/2.34 2.12/2.37 2.123 2.125 2.126	<PmtMtd> <Cd> <Cd> <Cd> <Cd> <Ref>	'TRF' 'URGP' 'SDCL' 'SCOR' 'ISO' RF Creditor reference (ISO 11649) (Max. 25 char)	link	
Danish inpayment form	Type 01	2.2 2.80:1.1.3 2.80:1.1.6 2.99 2.123 2.126	<PmtMtd> <Id> <Prtry> <Ustrd> <Cd> <Ref>	'TRF' Danish GIRO Number 7-8 digits 'OCR' Unstructured advice for creditor (Max. 945 char) 'SCOR' '01/'	link	
	Type 04	2.2 2.80:1.1.3 2.80:1.1.6 2.123 2.126	<PmtMtd> <Id> <Prtry> <Cd> <Ref>	'TRF' Danish GIRO Number 7-8 digits 'OCR' 'SCOR' '04/NNNNNNNN' (NNNNNNNNNN is max. 16 char)	link	



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
Danish inpayment form	Type 15	2.2 2.80:1.1.3 2.80:1.1.6 2.123 2.126	<PmtMtd> <Id> <Prtry> <Cd> <Ref>	'TRF' Danish GIRO Number 7-8 digits 'OCR' 'SCOR' '15/NNNNNNNNNN' (NNNNNNNNNN is max. 16 char)	link	
	Type 41	2.2 2.80:1.1.3 2.80:1.1.6 2.99 2.123 2.126	PmtMtd> <Id> <Prtry> <Ustrd> <Cd> <Ref>	'TRF' Danish GIRO Number 7-8 digits 'OCR' Unstructured advice for creditor (Max. 945 char) 'SCOR' '41/NNNNNNNNNN' (NNNNNNNNNN is max. 10 char)	link	
	Type 71	2.2 2.80:1.1.3 2.80:1.1.6 2.123 2.126	<PmtMtd> <Id> <Prtry> <Cd> <Ref>	'TRF' Creditor Number 7-8 digits 'OCR' 'SCOR' '71/NNNNNNNNNN' (NNNNNNNNNN is max. 15 char)	link	
	Type 73	2.2 2.80:1.1.3 2.80:1.1.6 2.99 2.123 2.126	<PmtMtd> <Id> <Prtry> <Ustrd> <Cd> <Ref>	'TRF' Creditor Number 7-8 digits 'OCR' Unstructured advice for creditor (Max. 1435 char) 'SCOR' '73/'	link	



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
Danish inpayment form	Type 75	2.2 2.80:1.1.3 2.80:1.1.6 2.99 2.123 2.126	<PmtMtd> <Id> <Prtry> <Ustrd> <Cd> <Ref>	'TRF' Creditor Number 7-8 digits 'OCR' Unstructured advice for creditor (Max. 1435 char) 'SCOR' '75/NNNNNNNNNN' (NNNNNNNNNN is max. 16 char)	link	
Danish salary		2.2 2.15 / 2.40	<PmtMtd> <Cd>	'TRF' 'SALA'	link	Danish account transfer with restricted advice "Lønoverførel" (=Salary) to the creditor. Transfer to accounts within Danske Bank is for disposal the next banking day (neutral disposal/neutral date of availability). Salary payment can be confidential - please see example
NemKonto payment	NemKonto payment (CPR)	2.2 2.80:1.1.3 2.80:1.1.6	<PmtMtd> <Id> <Prtry>	2.2 = 'TRF' Social security number (CPR) 'NNNNNNNNNN' 'NKC'	link	Danish account transfer using a private or business ID as beneficiary's "account number".



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
NemKonto payment	NemKonto payment [CVR]	2.2 2.80:1.1.3	<PmtMtd> <Id>	'TRF' Central business registration number [CVR] 'NNNNNNNN' 'NKV'	link	See Danish account transfers for supported advice.
	NemKonto payment [CVR with P-unit number]	2.2 2.80:1.1.3	<PmtMtd> <Id>	'TRF' Central business registration number [CVR with P-unit number] 'NNNNNNNN/NNNNNNNNNN' 'NKP'	link	For more information about NemKonto transfers please see information on Danske Bank's website .
	NemKonto payment [CVR with SE number]	2.2 2.80:1.1.3	<PmtMtd> <Id>	'TRF' Central business registration number [CVR with SE number] 'NNNNNNNN/NNNNNNNNNN' 'NKR'	link	
	NemKonto payment [SE number]	2.2 2.80:1.1.3	<PmtMtd> <Id>	'TRF' SE number 'NNNNNNNN' 'NKS'	link	
		2.80:1.1.6	<Prtry>			



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
Norwegian payment types						
Norwegian salary		2.2 2.15 / 2.40	<PmtMtd> <Cd>	'TRF' 'SALA'	link	Salary payment can be confidential - please see example
Norwegian account transfer	Short-form advice	2.2 2.88	<PmtMtd> <Prtry>	'TRF' Short message for creditor (Max. 27 char)	link	
	Long-form advice	2.2 2.88 2.99	<PmtMtd> <Prtry> <Ustrd>	'TRF' Short message for creditor (Max. 27 char) Unstructured advice for creditor (Max. 1750 char)	link	



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
Norwegian account transfer	KID reference	2.2 2.123 2.126	<PmtMtd> <Cd> <Ref>	'TRF' 'SCOR' KID reference (Max. 25 char)	link	If both 2.123 Cd, 2.126 Ref, 2.104 Cd, 2.107 Nb are filled in in one structured message then 2.107 Nb will be ignored
	Invoice	2.2 2.104 2.107 2.108	<PmtMtd> <Cd> <Nb> <RltdDt>	'TRF' 'CINV' Invoice number Invoice date	link	Please see example of multiple occurrences of KID reference and invoice , including use of 2.104 Cd for credit notes and use of 2.109 RfrdDocAmt
Norwegian cash payment		2.2 2.79 2.99	<PmtMtd> <Cdtr> <Ustrd>	'CHK' Name and address (PstCd (4 char) and TwnNm in structured form) Unstructured advice for creditor (Max. 1750 char)	link	PstCd must be valid



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type	Special usage of tags	Example file	Additional Info
Swedish payment types			
Swedish salary (2.2 <PmtMtd> 2.15 / 2.40 <Cd> 2.20:1.1.3 <Id> 2.20:1.1.6 <Prtry>	'TRF' 'SALA' If debtor account is BANKGIRO BANKGIRO number 'BGNR'	Swedish account transfer with restricted advice "Lön" (=Salary) to the creditor. Swedish Salary and Pension payments become confidential by default. Due to current domestic payment infrastructure, requested execution date for salaries is the date when the receiver gets the funds on his account. Funds are debited a banking day before requested execution date..

[link](#)

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
Swedish account transfer	Short-form advice	2.2 2.88	<PmtMtd> <Prtry>	'TRF' Short message for creditor (Max. 12 char)	link	For transfers between own or intra-group accounts in the bank, 20 characters are available.
	Long-form advice	2.2 2.88 2.79 2.99	<PmtMtd> <Prtry> <Cdtr> <Ustrd>	'TRF' Short message for creditor (Max. 20 char) or Name and address (PstCd (5 char) and TwnNm in structured form) and Unstructured advice for creditor (Max. 525 char)	link	If both 2.88 <Prtry> and 2.99 <Ustrd> are filled in then 2.88 <Prtry> is ignored PstCd must be valid
	Structured advice (converted in to Long-form advice of max 525 char)	2.2 2.104 2.107 2.112 2.119	<PmtMtd> <Cd> <Nb> <CdtNoteAmt> or <RmtAmt>	'TRF' 'CINV' or 'CREN' Invoice number or Credit note number Credit note amount or Invoice amount	link	Please see Appendix K for more details
Swedish cash payment		2.2 2.61 / 2.79 2.99	<PmtMtd> <DlvrTo> or <Cdtr> <Ustrd>	'CHK' Name and address (PstCd (5 char) and TwnNm in structured form) Unstructured advice for creditor (Max. 525 char)	link	PstCd must be valid

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
Swedish Bankgiro Transfer	Text reference	2.2 2.80:1.1.3 2.80:1.1.6 2.88	<PmtMtd> <Id> <Prtry> <Prtry>	'TRF' BankGiro number 7-8 digits 'BGNR' Short message for creditor (Max. 25 char)	link	
	OCR reference	2.2 2.80:1.1.3 2.80:1.1.6 2.123 2.126	<PmtMtd> <Id> <Prtry> <Cd> <Ref>	'TRF' BankGiro number 7-8 digits 'BGNR' 'SCOR' OCR reference (25 char)	link	Only one OCR reference per payment
	Long-form advice	2.2 2.80:1.1.3 2.80:1.1.6 2.99	<PmtMtd> <Id> <Prtry> <Ustrd>	'TRF' BankGiro number 7-8 digits 'BGNR' Unstructured advice for creditor (Max. 525 char)	link	
Structured advice (converted in to Long-form advice of max 525 char)	2.2 2.80:1.1.3 2.80:1.1.6 2.104 2.107 2.112 2.119	<PmtMtd> <Id> <Prtry> <Cd> <Nb> <CdtNoteAmt> or <RmtAmt>	'TRF' BankGiro number 7-8 digits 'BGNR' 'CINV' or 'CREN' Invoice number or Credit note number Credit note amount or Invoice amount	link	Please see Appendix K for more details	



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
Swedish PlusGiro transfer	Text reference	2.2 2.80:1.1.3 2.80:1.1.5 2.88	<PmtMtd> <Id> <Cd> <Prtry>	'TRF' PlusGiro number 2-8 digits 'BBAN' Short message for creditor (Max. 25 char)	link	
	Long-form advice	2.2 2.80:1.1.3 2.80:1.1.5 2.99	<PmtMtd> <Id> <Cd> <Ustrd>	'TRF' PlusGiro number 2-8 digits 'BBAN' Unstructured advice for creditor (Max. 10 x 35 char)	link	
	OCR reference	2.2 2.80:1.1.3 2.80:1.1.5 2.123 2.126	<PmtMtd> <Id> <Cd> <Cd> <Ref>	'TRF' PlusGiro number 2-8 digits 'BBAN' 'SCOR' OCR reference (25 char)	link	



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
Finnish payment types						
Finnish salary		2.2 2.15 / 2.40 2.80:1.1.1 2.87	<PmtMtd> <Cd> <IBAN> <Cd>	'TRF' 'SALA' Creditor account in IBAN format Purpose code	link	Transfer to accounts within Danske Bank is for disposal the next banking day (neutral disposal/neutral date of availability). Salary payment can be confidential - please see example
Finnish SEPA account transfer	Unstructured message	2.2 2.80:1.1.1 2.99	<PmtMtd> <IBAN> <Ustrd>	'TRF' Creditor account in IBAN format Unstructured advice for creditor (Max. 140 char)	link	
	Reference	2.2 2.80:1.1.1 2.123 2.126	<PmtMtd> <IBAN> <Cd> <Ref>	'TRF' Creditor account in IBAN format 'SCOR' Reference (max. 20 char or ISO reference max. 21 char)	link	Danske Bank support 2-999 occurrences of structured message. Please see example of multiple occurrences of structured message Please see note concerning KATESIIRTO



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
Finnish account transfer	Money order	2.2 2.79 2.80:1.1.1 2.99	<PmtMtd> <Cdtr> <Id> <Ustrd>	'TRF' Name and address (PstCd and TwNnm in structured form) 'FI7489999999999999' Unstructured advice for creditor (Max. 140 char)	link	
	Repetitive payment using Danske Bank Rep. payments register (Cross border)	2.2 2.15 / 2.40 2.43 2.77:6.1.1 2.80:1.1.1 2.87	<PmtMtd> <Cd> <InstdAmt> <BIC> <Id> <Cd>	'TRF' 'SALA' 'EUR' 'DABAFIHH' 'Flxx811111xxxxxxx' Purpose code	link	'xxxxxxx' constitutes a code that will be mapped internally to an account number. The value must be agreed with the Bank beforehand.
Finnish express account transfer	Unstructured message	2.2 2.9 / 2.34 2.80:1.1.1 2.99	<PmtMtd> <Cd> <Id> <Ustrd>	'TRF' 'URGP' Creditor account in IBAN format Unstructured advice for creditor (Max. 140 char)	link	
	Reference	2.2 2.9 / 2.34 2.80:1.1.1 2.123 2.126	<PmtMtd> <Cd> <Id> <Cd> <Ref>	'TRF' 'URGP' Creditor account in IBAN format 'SCOR' Reference (max. 20 char or ISO reference max. 21 char)	link	



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
Finnish SEPA Instant account transfer	Unstructured message	2.2 2.80:1.1.1 2.12 / 2.37 2.99	<PmtMtd> <IBAN> <Cd> <Ustrd>	'TRF' Creditor account in IBAN format 'INST' Unstructured advice for creditor (Max 140 char)	link	Special rules apply to SEPA Instant. Please refer to Appendix J in the Appendix to the Danske Bank Message Implementation Guide. Available remittance options are the same as in ordinary SEPA Credit transfers
	Reference	2.2 2.80:1.1.1 2.12 / 2.37 2.123 2.126	<PmtMtd> <IBAN> <Cd> <Cd> <Ref>	'TRF' Creditor account in IBAN format 'INST' 'SCOR' Reference (max. 20 char or ISO reference max. 21 char)	link	

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
English payment types						
English account transfer	Faster payment	2.2 2.88	<PmtMtd> <Prtry>	'TRF' Short message for creditor (Max. 18 char)	link	
	CHAPS payment	2.2 2.9 / 2.34 2.99	<PmtMtd> <Cd> <Ustrd>	'TRF' 'URGP' Unstructured advice for creditor (Max. 140 char)	link	For transfers between own or intra-group accounts in the bank, only 18 characters are available.
	Internal payment	2.2 2.15 / 2.40 2.88	<PmtMtd> <Cd> <Prtry>	'TRF' 'INTC' Short message for creditor (Max. 18 char)	link	Intracompany payment
	Indirect BACS	2.2 2.19:9.1.16 2.88	<PmtMtd> <Id> <Prtry>	'TRF' BACS ID - 6 digits Short message for creditor (Max. 18 char)	link	



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
Irish payment types						
Irish account transfer	External payment	2.2 2.99	<PmtMtd> <Ustrd>	'TRF' Unstructured advice for creditor (Max. 140 char)	link	
	Same day domestic payment	2.2 2.9 / 2.34 2.99	<PmtMtd> <Cd> <Ustrd>	'TRF' 'URGP' Unstructured advice for creditor (Max. 140 char)	link	
	Internal payment	2.2 2.15 / 2.40 2.99	<PmtMtd> <Cd> <Ustrd>	'TRF' 'INTC' Unstructured advice for creditor (Max. 140 char)	link	Intracompany payment

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
Polish payment types						
Polish account transfer	Payment with details	2.2 2.77:6.1.4 2.77:6.1.6 2.99	<PmtMtd> <Cd> <Mmbld> <Ustrd>	'TRF' 'PLKNR' BankIdentifier - 8 digits Unstructured advice for creditor (Max. 140 char)	link	
	Payment without details	2.2 2.77:6.1.4 2.77:6.1.6	<PmtMtd> <Cd> <Mmbld>	'TRF' 'PLKNR' BankIdentifier - 8 digits	link	
	US - tax	2.2 2.15 / 2.40 2.77:6.1.4 2.77:6.1.6 2.99	<PmtMtd> <Cd> <Cd> <Mmbld> <Ustrd>	'TRF' 'TAXS' 'PLKNR' BankIdentifier - 8 digits See note	link	
Polish express account transfer	Payment with details	2.2 2.9 / 2.34 2.77:6.1.4 2.77:6.1.6 2.99	<PmtMtd> <Cd> <Cd> <Mmbld> <Ustrd>	'TRF' 'URGP' 'PLKNR' BankIdentifier - 8 digits Unstructured advice for creditor (Max. 140 char)	link	
Polish express account transfer	Payment without details	2.2 2.9 / 2.34 2.77:6.1.4 2.77:6.1.6	<PmtMtd> <Cd> <Cd> <Mmbld>	'TRF' 'URGP' 'PLKNR' BankIdentifier - 8 digits	link	



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
Polish account transfer - Split	Payment with details	2.2 2.16 2.77:6.1.4 2.77:6.1.6 2.99	<PmtMtd> <Prtry> <Cd> <Mmbld> <Ustrd>	'TRF' 'SPLT' 'PLKNR' BankIdentifier - 8 digits /VAT/213,00/IDC/1111111111/INV/FV-201701/TXT/free text See note	link	
Polish express account transfer - Split	Payment with details	2.2 2.16 2.9 / 2.34 2.77:6.1.4 2.77:6.1.6 2.99	<PmtMtd> <Prtry> <Cd> <Cd> <Mmbld> <Ustrd>	'TRF' 'SPLT' 'URGP' 'PLKNR' BankIdentifier - 8 digits /VAT/213,00/IDC/1111111111/INV/FV-201701/TXT/free text See note	link	



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
Foreign payment types						
Foreign cheque	Cheque to be sent to account holder	2.2 2.59 2.61/ 2.79	<PmtMtd> <Cd> <DlvrTo> or/ <Cdtr>	'CHK' 'MLDB' Name and country code of receiver must be specified.	link	For instructing a crossed cheque, state 'CROSSED' in 2.66 <FrmsCd>
	Cheque to be sent to beneficiary	2.2 2.59 2.61/ 2.79	<PmtMtd> <Cd> <DlvrTo> or <Cdtr>	'CHK' 'MLCD' Name, address and country code of receiver must be specified.	link	

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
Transfer from account abroad (MT101)	Transfer to own account	2.2 2.15 / 2.40 2.21:6.1.1 2.99	<PmtMtd> <Cd> <BIC> <Ustrd>	'TRF' 'INTC' BIC of debtor agent Unstructured advice for creditor (Max. 1x140 char)	link	These payment types can be used for initiating transfers from accounts held with foreign banks. The following tags under <Strd> can be used too: 2.107<Nb> 2.108<RltdDt> 2.126<Ref> <Ustrd> will overwrite <Strd> if both tags are used.
	Regular transfer	2.2 2.21:6.1.1 2.99	<PmtMtd> <BIC> <Ustrd>	'TRF' BIC of debtor agent Unstructured advice for creditor (Max. 1x140 char)	link	
	Urgent transfer	2.2 2.9 / 2.34 2.21:6.1.1 2.99	<PmtMtd> <Cd> <BIC> <Ustrd>	'TRF' 'URGP' BIC of debtor agent Unstructured advice for creditor (Max. 1x140 char)	link	
	Domestic salary transfer	2.2 2.15 / 2.40 2.21:6.1.1 2.99	<PmtMtd> <Cd> <BIC> <Ustrd>	'TRF' 'SALA' BIC of debtor agent Unstructured advice for creditor (Max. 1x140 char)	link	
	Domestic cheque	2.2 2.21:6.1.1 2.79 2.99	<PmtMtd> <BIC> <Cdtr> <Ustrd>	'CHK' BIC of debtor agent Name and address Unstructured advice for creditor (Max. 1x140 char)	link	

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
Transfer from account abroad (MT101)	Foreign cheque	2.2	<PmtMtd>	'CHK'	link	
		2.21:6.1.1	<BIC>	BIC of debtor agent		
		2.59	<Cd>	'MLCD'		
		2.79	<Cdtr>	Name and address		
		2.99	<Ustrd>	Unstructured advice for creditor (Max. 1x140 char)		
Foreign account transfer	Ordinary transfer	2.2	<PmtMtd>	'TRF'	link	Special rules apply to regulatory reporting in Norway and Sweden. Please refer to Appendix I in the Appendix to the Danske Bank Message Implementation Guide
		2.99	<Ustrd>	Unstructured advice for creditor (Max 140 char)		
	Express transfer	2.2	<PmtMtd>	'TRF'	link	
		2.9 / 2.34	<Cd>	'URGP'		
		2.99	<Ustrd>	Unstructured advice for creditor (Max 140 char)		
Group transfer	2.2	<PmtMtd>	'TRF'	link		
	2.15 / 2.40	<Cd>	'INTC'			
	2.99	<Ustrd>	Unstructured advice for creditor (Max 140 char)			
SEPA transfer					link	Please refer to Appendix J for more information about domestic and foreign SEPA Instant account transfers
SEPA Instant transfer					link	

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Payment type		Special usage of tags			Example file	Additional Info
Financial/treasury transfers	Nationalbank transfer (only Denmark)	2.2 2.9 / 2.34 2.85 2.99	<PmtMtd> <Cd> <InstrForDbtrAgt> <Ustrd>	'TRF' 'URGP' 'NATIONALBANK OVERFØRSEL' Unstructured advice for creditor (Max 140 char)	link	Special rules apply to this payment type. Please contact Support Direct.
	Riksbank transfer (only Sweden)	2.2 2.9 / 2.34 2.85 2.99	<PmtMtd> <Cd> <InstrForDbtrAgt> <Ustrd>	'TRF' 'URGP' 'RIKSBANK BETALING' Unstructured advice for creditor (Max 140 char)	link	Special rules apply to this payment type. Please contact Support Direct.
Financial/treasury transfers	Capital payment (only Finland)	2.2 2.9 / 2.34 2.99	<PmtMtd> <Cd> <Ustrd>	'TRF' 'SDVA' Unstructured advice for creditor (Max 140 char)	link	Special rules apply to this payment type. Please contact Support Direct.
	Financial payment (all countries)	2.15 / 2.40 2.43 2.71 2.77 2.78 2.79 2.99	<Cd> <InstdAmt Ccy> <IntrmyAgt1> <CdtrAgt> <CdtrAgtAcct> <Cdtr> <Ustrd>	'CORT' or 'TREA' Currency of instructed amount Name and BIC of correspondent bank Name and BIC of creditor agent Creditor agent account in correspondent bank Name of creditor Unstructured advice for creditor (Max. 140 char)	link	Special rules apply to this payment type. Please contact Support Direct.



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)
Supported payment types and examples

Notes

<p>CategoryPurpose</p>	<p>These CategoryPurpose code are supported in 2.15 / 2.40 <Cd>:</p> <p>CORT - Transaction is related to settlement of a trade, e.g. a foreign exchange deal or a securities transaction INTC - Transaction is an intra-company payment, i.e. a payment between two companies belonging to the same group PENS- Transaction is the payment of pension SALA - Transaction is the payment of salaries SECU - Transaction is the payment of securities SSBE - Transaction is a social security benefit, ie payment made by a government to support individuals SUPP - Transaction is related to a payment to a supplier TAXS - Transaction is the payment of taxes TREA - Transaction is related to treasury operations. E.g. financial contract settlement</p>																	
<p>Polish US tax payment</p>	<p>Unstructured remittance information must be formatted this way (4 occurrences of 2.99 Ustrd) :</p> <table border="1" data-bbox="568 943 1993 1311"> <thead> <tr> <th data-bbox="568 943 891 1038">Field</th> <th data-bbox="891 943 1021 1038">Status</th> <th data-bbox="1021 943 1155 1038">Format</th> <th data-bbox="1155 943 1285 1038">Code</th> <th data-bbox="1285 943 1805 1038">Data</th> <th data-bbox="1805 943 1993 1038">Occurrence no. (Ustrd)</th> </tr> </thead> <tbody> <tr> <td data-bbox="568 1038 891 1311">Type of supplementary identity document</td> <td data-bbox="891 1038 1021 1311">M</td> <td data-bbox="1021 1038 1155 1311">1 a</td> <td data-bbox="1155 1038 1285 1311">/TI/</td> <td data-bbox="1285 1038 1805 1311">Type of supplementary identity document can have one of following values: N - NIP P - Pesel R - Regon 1 - Identity card 2 - Passport.</td> <td data-bbox="1805 1038 1993 1311">1</td> </tr> </tbody> </table>						Field	Status	Format	Code	Data	Occurrence no. (Ustrd)	Type of supplementary identity document	M	1 a	/TI/	Type of supplementary identity document can have one of following values: N - NIP P - Pesel R - Regon 1 - Identity card 2 - Passport.	1
Field	Status	Format	Code	Data	Occurrence no. (Ustrd)													
Type of supplementary identity document	M	1 a	/TI/	Type of supplementary identity document can have one of following values: N - NIP P - Pesel R - Regon 1 - Identity card 2 - Passport.	1													

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

	Supplementary identity doc.	M	14 a		Supplementary identity document. Right-adjusted filled with blanks up to 14 characters	1
	Period covered by the payment	M	7 a	/OKR/	Format: YYQXXXXX Where Q is a qualifier, that gives meaning to the next four characters [X] M = Month (01 - 12), e.g. 95M09 P = Half year (01 - 02), e.g. 96P01 R = [empty] e.g. 97R K = Quarter (01 - 04) e.g. 98K03 D = Decade and month (01 - 03 and 01 - 12) e.g. 99D0211 (Decade is a period of 10 days in a month)	2
	Symbol of the form or reason of payment	M	6 a	/SFP/	Code supplied by public authority	3
		O	21 a	/TXT/	Additional details in free format	4
KATESIIRTO (only Finland)	A "Speed-up" agreement on a Finnish account can be avoided by entering the word KATESIIRTO in 2.99 Ustrd.					



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

<Ustrd> tag usage:

The <Ustrd> tag for split payments should be as follows:

Field	Subfield	Mandatory (M)/Optional (O)	Description	Format
<Ustrd>	/VAT/	M	VAT amount, which is part of the full amount of the payment. Comma as decimal separator.	Max of 10n,2n
<Ustrd>	/IDC/	M	Identification number of sellers (identification number of payment beneficiary)	Max of 14x
<Ustrd>	/INV/	M	Invoice detail	Max of 35x
<Ustrd>	/TXT/	O	Free Text	Max of 33x

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

File Examples

Denmark – sample files

Danish account transfer - Standard transfer with advice

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInftn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2009-02-17T12:49:35</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfd>PmtInfd</PmtInfd>
      <PmtMtd>TRF</PmtMtd>
      <PmtTpInf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTpInf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<InstrId>DK acc. trf. Standard transfer</InstrId>
<EndToEndId>EndToEndId</EndToEndId>
</PmtId>
<Amt>
  <InstdAmt Ccy="DKK">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABADKKK</BIC>
    <PstlAdr>
      <Ctry>DK</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>30013258186214</Id>
      <SchmeNm>
        <Cd>BBAN</Cd>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<Purp>
  <Prtry>20 char short advice</Prtry>
</Purp>
<RmtInf>
  <Ustrd>LIN 1.....END</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Danish account transfer - Standard transfer with RF Creditor reference

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2014-10-21T12:49:35</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2014-11-20</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>DK acc. trf. Standard transfer</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="DKK">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABADKKK</BIC>
    <PstlAdr>
      <Ctry>DK</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>30013258186214</Id>
      <SchmeNm>
        <Cd>BBAN</Cd>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Strd>
    <CdtrRefInf>
      <Tp>
        <CdOrPrtry>
          <Cd>SCOR</Cd>
        </CdOrPrtry>
        <Issr>ISO</Issr>
      </Tp>
      <Ref>RF98582382430498609861517</Ref>
    </CdtrRefInf>
  </Strd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Danish account transfer – Same-day transfer with advice

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInittn>
    <GrpHdr>
      <MsgId>813270</MsgId>
      <CreDtTm>2009-02-17T12:49:35</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
        <LclInstrm>
          <Cd>SDCL</Cd>
        </LclInstrm>
      </PmtTplnf>
      <ReqdExctnDt>2013-12-17</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
          <InstrId>DK acc.trf. Same-day transfer</InstrId>
          <EndToEndId>1-813270</EndToEndId>
        </PmtId>
      </CdtTrfTxlnf>
    </PmtInf>
  </CstmrCdtTrfInittn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</PmtId>
<Amt>
  <InstdAmt Ccy="DKK">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABADKKK</BIC>
    <PstlAdr>
      <Ctry>DK</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>30013258186214</Id>
      <SchmeNm>
        <Cd>BBAN</Cd>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<Purp>
  <Prtry>20 char short advice</Prtry>
</Purp>
<RmtInf>
  <Ustrd>LIN 1.....END</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntr>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Danish account transfer – Same-day transfer with RF Creditor reference

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInItn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2014-10-21T12:49:35</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
        <LclInstrm>
          <Cd>SDCL</Cd>
        </LclInstrm>
      </PmtTplnf>
      <ReqdExctnDt>2014-11-20</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
          <InstrId>DK acc. trf. Same-day transfer</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
      </CdtTrfTxlnf>
    </PmtInf>
  </CstmrCdtTrfInItn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</PmtId>
<Amt>
  <InstdAmt Ccy="DKK">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABADKKK</BIC>
    <PstlAdr>
      <Ctry>DK</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>30013258186214</Id>
      <SchmeNm>
        <Cd>BBAN</Cd>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Strd>
    <CdtrRefInf>
      <Tp>
        <CdOrPrtry>
          <Cd>SCOR</Cd>
        </CdOrPrtry>
        <Issr>ISO</Issr>
      </Tp>
      <Ref>RF98582382430498609861517</Ref>
    </CdtrRefInf>
  </Strd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```


Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Danish account transfer – Express transfer with advice

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInittn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2014-10-21T12:49:35</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>URGP</Cd>
        </SvcLvl>
        <LclInstrm>
          <Cd>SDCL</Cd>
        </LclInstrm>
      </PmtTplnf>
      <ReqdExctnDt>2014-11-20</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
          <InstrId>DK acc. trf. Express transfer</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
      </CdtTrfTxlnf>
    </PmtInf>
  </CstmrCdtTrfInittn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</PmtId>
<Amt>
  <InstdAmt Ccy="DKK">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABADKKK</BIC>
    <PstlAdr>
      <Ctry>DK</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>30013258186214</Id>
      <SchmeNm>
        <Cd>BBAN</Cd>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<Purp>
  <Prtry>20 char short advice</Prtry>
</Purp>
<RmtInf>
  <Ustrd>LIN 1.....END</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Danish account transfer – Express transfer with RF Creditor reference

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInittn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2014-10-21T12:49:35</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>URGP</Cd>
        </SvcLvl>
        <LclInstrm>
          <Cd>SDCL</Cd>
        </LclInstrm>
      </PmtTplnf>
      <ReqdExctnDt>2014-11-20</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
          <InstrId>DK acc. trf. Express transfer</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
      </CdtTrfTxlnf>
    </PmtInf>
  </CstmrCdtTrfInittn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</PmtId>
<Amt>
  <InstdAmt Ccy="DKK">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABADKKK</BIC>
    <PstlAdr>
      <Ctry>DK</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>30013258186214</Id>
      <SchmeNm>
        <Cd>BBAN</Cd>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Strd>
    <CdtrRefInf>
      <Tp>
        <CdOrPrtry>
          <Cd>SCOR</Cd>
        </CdOrPrtry>
        <Issr>ISO</Issr>
      </Tp>
      <Ref>RF98582382430498609861517</Ref>
    </CdtrRefInf>
  </Strd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfInItN>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Danish inpayment form - Type 01

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2009-02-17T12:49:35</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
          <InstrId>DK inpayment form IK01</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="DKK">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxlnf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>1234567</Id>
      <SchmeNm>
        <Prtry>OCR</Prtry>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>IKO1 LIN 1.....END</Ustrd>
  <Strd>
    <CdtrRefInf>
      <Tp>
        <CdOrPrtry>
          <Cd>SCOR</Cd>
        </CdOrPrtry>
      </Tp>
      <Ref>01</Ref>
    </CdtrRefInf>
  </Strd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Danish inpayment form - Type 04

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2009-02-17T12:49:35</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>DK inpayment form IK04</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="DKK">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>1234567</Id>
      <SchmeNm>
        <Prtry>OCR</Prtry>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Strd>
    <CdtrRefInf>
      <Tp>
        <CdOrPrtry>
          <Cd>SCOR</Cd>
        </CdOrPrtry>
      </Tp>
      <Ref>04/1234567890123456</Ref>
    </CdtrRefInf>
  </Strd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```


Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Danish inpayment form - Type 15

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2009-02-17T12:49:35</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
          <InstrId>DK inpayment form IK15</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="DKK">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxlnf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>1234567</Id>
      <SchmeNm>
        <Prtry>OCR</Prtry>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Strd>
    <CdtrRefInf>
      <Tp>
        <CdOrPrtry>
          <Cd>SCOR</Cd>
        </CdOrPrtry>
      </Tp>
      <Ref>15/1234567890123456</Ref>
    </CdtrRefInf>
  </Strd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Danish inpayment form - Type 41

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2009-02-17T12:49:35</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
          <InstrId>DK inpayment form IK41</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="DKK">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxlnf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>1234567</Id>
      <SchmeNm>
        <Prtry>OCR</Prtry>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>IK41 LIN 1.....END</Ustrd>
  <Strd>
    <CdtrRefInf>
      <Tp>
        <CdOrPrtry>
          <Cd>SCOR</Cd>
        </CdOrPrtry>
      </Tp>
      <Ref>41/1234567890</Ref>
    </CdtrRefInf>
  </Strd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Danish inpayment form - Type 71

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2009-02-17T12:49:35</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
          <InstrId>DK inpayment form IK71</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="DKK">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxlnf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>12345678</Id>
      <SchmeNm>
        <Prtry>OCR</Prtry>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Strd>
    <CdtrRefInf>
      <Tp>
        <CdOrPrtry>
          <Cd>SCOR</Cd>
        </CdOrPrtry>
      </Tp>
      <Ref>71/123456789012345</Ref>
    </CdtrRefInf>
  </Strd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Danish inpayment form - Type 73

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2009-02-17T12:49:35</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
          <InstrId>DK inpayment form IK73</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="DKK">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxlnf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>12345678</Id>
      <SchmeNm>
        <Prtry>OCR</Prtry>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>IK73 LIN 1.....END</Ustrd>
  <Strd>
    <CdtrRefInf>
      <Tp>
        <CdOrPrtry>
          <Cd>SCOR</Cd>
        </CdOrPrtry>
      </Tp>
      <Ref>73</Ref>
    </CdtrRefInf>
  </Strd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```


Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Danish inpayment form - Type 75

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2009-02-17T12:49:35</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
          <InstrId>DK inpayment form IK75</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="DKK">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxlnf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>12345678</Id>
      <SchmeNm>
        <Prtry>OCR</Prtry>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>IK75 LIN 1.....END</Ustrd>
  <Strd>
    <CdtrRefInf>
      <Tp>
        <CdOrPrtry>
          <Cd>SCOR</Cd>
        </CdOrPrtry>
      </Tp>
      <Ref>75/1234567890123456</Ref>
    </CdtrRefInf>
  </Strd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Danish salary

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2009-02-17T12:49:35</CreDtTm>
      <NbOfTx>1</NbOfTx>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
        <CtgyPurp>
          <Cd>SALA</Cd>
        </CtgyPurp>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
          <InstrId>DK salary payment</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
      </CdtTrfTxlnf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</PmtId>
<Amt>
  <InstdAmt Ccy="DKK">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABADKKK</BIC>
    <PstlAdr>
      <Ctry>DK</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>30013258186214</Id>
      <SchmeNm>
        <Cd>BBAN</Cd>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Danish salary – confidential

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInittn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2009-02-17T12:49:35</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
        <CtgyPurp>
          <Prtry>CONF</Prtry>
        </CtgyPurp>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
          <InstrId>DK salary payment</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
      </CdtTrfTxlnf>
    </PmtInf>
  </CstmrCdtTrfInittn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</PmtId>
<PmtTplInf>
  <CtgyPurp>
    <Cd>SALA</Cd>
  </CtgyPurp>
</PmtTplInf>
<Amt>
  <InstdAmt Ccy="DKK">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABADKKK</BIC>
    <PstlAdr>
      <Ctry>DK</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>30013258186214</Id>
      <SchmeNm>
        <Cd>BBAN</Cd>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

NemKonto - CPR

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2009-02-17T12:49:35</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>DK NemKonto payment for CPR number</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="DKK">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABADKKK</BIC>
    <PstlAdr>
      <Ctry>DK</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>1234567890</Id>
      <SchmeNm>
        <Prtry>NKC</Prtry>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<Purp>
  <Prtry>20 char short advice</Prtry>
</Purp>
<RmtInf>
  <Ustrd>Unstructured remittance information</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```


Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

NemKonto - CVR

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2009-02-17T12:49:35</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInflId>PmtInflId</PmtInflId>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>DK NemKonto payment for CVR number</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="DKK">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABADKKK</BIC>
    <PstlAdr>
      <Ctry>DK</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>12345678</Id>
      <SchmeNm>
        <Prtry>NKV</Prtry>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<Purp>
  <Prtry>20 char short advice</Prtry>
</Purp>
<RmtInf>
  <Ustrd>Unstructured remittance information</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

NemKonto - CVR with P-unit number

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2009-02-17T12:49:35</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>DK NemKonto pmt. CVR/P-unit number</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="DKK">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABADKKK</BIC>
    <PstlAdr>
      <Ctry>DK</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>12345678/1234567890</Id>
      <SchmeNm>
        <Prtry>NKP</Prtry>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<Purp>
  <Prtry>20 char short advice</Prtry>
</Purp>
<RmtInf>
  <Ustrd>Unstructured remittance information</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

NemKonto - CVR with SE number

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2009-02-17T12:49:35</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>DK NemKonto pmt. for CVR/SE number</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="DKK">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABADKKK</BIC>
    <PstlAdr>
      <Ctry>DK</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>12345678/12345678</Id>
      <SchmeNm>
        <Prtry>NKR</Prtry>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<Purp>
  <Prtry>20 char short advice</Prtry>
</Purp>
<RmtInf>
  <Ustrd>Unstructured remittance information</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

NemKonto - SE number

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2009-02-17T12:49:35</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInflId>PmtInflId</PmtInflId>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>DK NemKonto payment for SE number</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="DKK">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABADKKK</BIC>
    <PstlAdr>
      <Ctry>DK</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>12345678</Id>
      <SchmeNm>
        <Prtry>NKS</Prtry>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<Purp>
  <Prtry>20 char short advice</Prtry>
</Purp>
<RmtInf>
  <Ustrd>Unstructured remittance information</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```


Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Norway - sample files

Norwegian salary

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInitn>
    <GrpHdr>
      <MsgId>Msgld</MsgId>
      <CreDtTm>2011-05-11T10:30:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Nm>Corporate X</Nm>
        <Id>
          <Orgld>
            <Othr>
              <Id>987654321</Id>
              <SchmeNm>
                <Cd>CUST</Cd>
              </SchmeNm>
            </Othr>
          </Orgld>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInflId>PmtInflId</PmtInflId>
      <PmtMtd>TRF</PmtMtd>
      <PmtTpInf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
        <CtgyPurp>
          <Cd>SALA</Cd>
        </CtgyPurp>
      </PmtTpInf>
      <ReqdExctnDt>2012-12-17</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>NO</Ctry>
        </PstlAdr>
        <Id>
          <Orgld>
            <Othr>
              <Id>987654321</Id>
              <SchmeNm>
                <Cd>CUST</Cd>
              </SchmeNm>
            </Othr>
          </Orgld>
        </Id>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>N06197600000105</IBAN>
        </Id>
    </PmtInf>
  </CstmrCdtTrfInitn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    <Ccy>NOK</Ccy>
  </DbtrAcct>
  <DbtrAgt>
    <FinInstnId>
      <BIC>DABANO22</BIC>
      <PstlAdr>
        <Ctry>NO</Ctry>
      </PstlAdr>
    </FinInstnId>
  </DbtrAgt>
  <CdtTrfTxInf>
    <PmtId>
      <InstrId>NO salary</InstrId>
      <EndToEndId>EndToEndId</EndToEndId>
    </PmtId>
    <Amt>
      <InstdAmt Ccy="NOK">1.00</InstdAmt>
    </Amt>
    <CdtrAgt>
      <FinInstnId>
        <BIC>DABANO22</BIC>
        <PstlAdr>
          <TwnNm>Trondheim</TwnNm>
          <Ctry>NO</Ctry>
        </PstlAdr>
      </FinInstnId>
    </CdtrAgt>
    <Cdtr>
      <Nm>Creditor</Nm>
      <PstlAdr>
        <PstCd>7012</PstCd>
        <TwnNm>Trondheim</TwnNm>
        <Ctry>NO</Ctry>
        <AdrLine>Søndregate 13-15</AdrLine>
      </PstlAdr>
    </Cdtr>
    <CdtrAcct>
      <Id>
        <IBAN>NO5197600000091</IBAN>
      </Id>
    </CdtrAcct>
  </CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Norwegian salary - confidential

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInItN>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2011-05-11T10:30:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Nm>Corporate X</Nm>
        <Id>
          <OrgId>
            <Othr>
              <Id>987654321</Id>
              <SchmeNm>
                <Cd>CUST</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInflId>PmtInflId</PmtInflId>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
        <CtgyPurp>
          <Prtry>CONF</Prtry>
        </CtgyPurp>
      </PmtTplnf>
      <ReqdExctnDt>2012-12-17</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>NO</Ctry>
        </PstlAdr>
        <Id>
          <OrgId>
            <Othr>
              <Id>987654321</Id>
              <SchmeNm>
                <Cd>CUST</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>N06197600000105</IBAN>
        </Id>
        <Ccy>NOK</Ccy>
      </DbtrAcct>
    </PmtInf>
  </CstmrCdtTrfInItN>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<FinInstnId>
  <BIC>DABAN022</BIC>
  <PstlAdr>
    <Ctry>NO</Ctry>
  </PstlAdr>
</FinInstnId>
</DbtrAgt>
<CdtTrfTxInf>
  <PmtId>
    <InstrId>NO salary</InstrId>
    <EndToEndId>EndToEndId</EndToEndId>
  </PmtId>
  <PmtTplnf>
    <CtgyPurp>
      <Cd>SALA</Cd>
    </CtgyPurp>
  </PmtTplnf>
  <Amt>
    <InstdAmt Ccy="NOK">1.00</InstdAmt>
  </Amt>
  <CdtrAgt>
    <FinInstnId>
      <BIC>DABAN022</BIC>
      <PstlAdr>
        <TwnNm>Trondheim</TwnNm>
        <Ctry>NO</Ctry>
      </PstlAdr>
    </FinInstnId>
  </CdtrAgt>
  <Cdtr>
    <Nm>Creditor</Nm>
    <PstlAdr>
      <PstCd>7012</PstCd>
      <TwnNm>Trondheim</TwnNm>
      <Ctry>NO</Ctry>
      <AdrLine>Søndregate 13-15</AdrLine>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <IBAN>N05197600000091</IBAN>
    </Id>
  </CdtrAcct>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Norwegian account transfer – short-form advice

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInitn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2011-05-11T10:30:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Nm>Corporate X</Nm>
        <Id>
          <OrgId>
            <Othr>
              <Id>987654321</Id>
              <SchmeNm>
                <Cd>CUST</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfd>PmtInfd</PmtInfd>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-12-17</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>NO</Ctry>
          </PstlAdr>
          <Id>
            <OrgId>
              <Othr>
                <Id>987654321</Id>
                <SchmeNm>
                  <Cd>CUST</Cd>
                </SchmeNm>
              </Othr>
            </OrgId>
          </Id>
        </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>N06197600000105</IBAN>
        </Id>
        <Ccy>NOK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAN022</BIC>
        </FinInstnId>
      </DbtrAgt>
    </PmtInf>
  </CstmrCdtTrfInitn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<PstlAdr>
  <Ctry>NO</Ctry>
</PstlAdr>
</FinInstnId>
</DbtrAgt>
<CdtTrfTxInf>
  <PmtId>
    <InstrId>NO account trf. with short advice</InstrId>
    <EndToEndId>EndToEndId</EndToEndId>
  </PmtId>
  <Amt>
    <InstdAmt Ccy="NOK">1.00</InstdAmt>
  </Amt>
  <CdtrAgt>
    <FinInstnId>
      <BIC>DABANO22</BIC>
    <PstlAdr>
      <TwnNm>Trondheim</TwnNm>
      <Ctry>NO</Ctry>
    </PstlAdr>
  </FinInstnId>
  </CdtrAgt>
  <Cdtr>
    <Nm>Creditor</Nm>
    <PstlAdr>
      <PstCd>7012</PstCd>
      <TwnNm>Trondheim</TwnNm>
      <Ctry>NO</Ctry>
      <AdrLine>Søndregate 13-15</AdrLine>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <IBAN>NO5197600000091</IBAN>
    </Id>
  </CdtrAcct>
  <Purp>
    <Prtry>27 char beneficiary ref END</Prtry>
  </Purp>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Norwegian account transfer – long-form advice

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2011-05-11T10:30:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Nm>Corporate X</Nm>
        <Id>
          <OrgId>
            <Othr>
              <Id>987654321</Id>
              <SchmeNm>
                <Cd>CUST</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTpInf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTpInf>
      <ReqdExctnDt>2012-12-17</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>NO</Ctry>
        </PstlAdr>
        <Id>
          <OrgId>
            <Othr>
              <Id>987654321</Id>
              <SchmeNm>
                <Cd>CUST</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>N06197600000105</IBAN>
        </Id>
        <Ccy>NOK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABANO22</BIC>
        </FinInstnId>
        <PstlAdr>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    <Ctry>NO</Ctry>
  </PstlAdr>
</FinInstnId>
</DbtrAgt>
<CdtTrfTxInf>
  <PmtId>
    <InstrId>NO account trf. with long advice</InstrId>
    <EndToEndId>EndToEndId</EndToEndId>
  </PmtId>
  <Amt>
    <InstdAmt Ccy="NOK">1.00</InstdAmt>
  </Amt>
  <CdtrAgt>
    <FinInstnId>
      <BIC>DABANO22</BIC>
    <PstlAdr>
      <TwnNm>Trondheim</TwnNm>
      <Ctry>NO</Ctry>
    </PstlAdr>
    </FinInstnId>
  </CdtrAgt>
  <Cdtr>
    <Nm>Creditor</Nm>
    <PstlAdr>
      <PstCd>7012</PstCd>
      <TwnNm>Trondheim</TwnNm>
      <Ctry>NO</Ctry>
      <AdrLine>Søndregate 13-15</AdrLine>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <Othr>
        <Id>97600000091</Id>
        <SchmeNm>
          <Cd>BBAN</Cd>
        </SchmeNm>
      </Othr>
    </Id>
  </CdtrAcct>
  <Purp>
    <Prtry>27 char beneficiary ref END</Prtry>
  </Purp>
  <RmtInf>
    <Ustrd>Unstructured remittance information</Ustrd>
  </RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfInitn>
</Document>

```


Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Norwegian account transfer - KID reference

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2011-05-11T10:30:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Nm>Corporate X</Nm>
        <Id>
          <OrgId>
            <Othr>
              <Id>987654321</Id>
              <SchmeNm>
                <Cd>CUST</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInflId>PmtInflId</PmtInflId>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-12-17</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>NO</Ctry>
        </PstlAdr>
        <Id>
          <OrgId>
            <Othr>
              <Id>987654321</Id>
              <SchmeNm>
                <Cd>CUST</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>N06197600000105</IBAN>
        </Id>
        <Ccy>NOK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABANO22</BIC>
        <PstlAdr>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    <Ctry>NO</Ctry>
  </PstlAdr>
</FinInstnId>
</DbtrAgt>
<CdtTrfTxInf>
  <PmtId>
    <InstrId>NO account trf. with KID reference</InstrId>
    <EndToEndId>EndToEndId</EndToEndId>
  </PmtId>
  <Amt>
    <InstdAmt Ccy="NOK">1.00</InstdAmt>
  </Amt>
  <CdtrAgt>
    <FinInstnId>
      <BIC>DABANO22</BIC>
    <PstlAdr>
      <TwnNm>Trondheim</TwnNm>
      <Ctry>NO</Ctry>
    </PstlAdr>
    </FinInstnId>
  </CdtrAgt>
  <Cdtr>
    <Nm>Creditor</Nm>
    <PstlAdr>
      <PstCd>7012</PstCd>
      <TwnNm>Trondheim</TwnNm>
      <Ctry>NO</Ctry>
      <AdrLine>Søndregate 13-15</AdrLine>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <Othr>
        <Id>83971987654</Id>
        <SchmeNm>
          <Cd>BBAN</Cd>
        </SchmeNm>
      </Othr>
    </Id>
  </CdtrAcct>
  <RmtInf>
    <Strd>
      <CdtrRefInf>
        <Tp>
          <CdOrPrtry>
            <Cd>SCOR</Cd>
          </CdOrPrtry>
        </Tp>
        <Ref>2023128154</Ref>
      </CdtrRefInf>
    </Strd>
  </RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Norwegian account transfer - invoice

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntr>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2011-05-11T10:30:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Nm>Corporate X</Nm>
        <Id>
          <OrgId>
            <Othr>
              <Id>987654321</Id>
              <SchmeNm>
                <Cd>CUST</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInflId>PmtInflId</PmtInflId>
      <PmtMtd>TRF</PmtMtd>
      <PmtTpInf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTpInf>
      <ReqdExctnDt>2012-12-17</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>NO</Ctry>
        </PstlAdr>
        <Id>
          <OrgId>
            <Othr>
              <Id>987654321</Id>
              <SchmeNm>
                <Cd>CUST</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <Othr>
            <Id>97600000105</Id>
            <SchmeNm>
              <Cd>BBAN</Cd>
            </SchmeNm>
          </Othr>
        </Id>
        <Ccy>NOK</Ccy>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</DbtrAcct>
<DbtrAgt>
  <FinInstnId>
    <BIC>DABAN022</BIC>
    <PstlAdr>
      <Ctry>NO</Ctry>
    </PstlAdr>
  </FinInstnId>
</DbtrAgt>
<CdtTrfTxInf>
  <PmtId>
    <InstrId>NO account trf. with single invoice</InstrId>
    <EndToEndId>EndToEndId</EndToEndId>
  </PmtId>
  <Amt>
    <InstdAmt Ccy="NOK">1.00</InstdAmt>
  </Amt>
  <CdtrAgt>
    <FinInstnId>
      <BIC>DABAN022</BIC>
      <PstlAdr>
        <TwnNm>Trondheim</TwnNm>
        <Ctry>NO</Ctry>
      </PstlAdr>
    </FinInstnId>
  </CdtrAgt>
  <Cdtr>
    <Nm>Creditor</Nm>
    <PstlAdr>
      <PstCd>7012</PstCd>
      <TwnNm>Trondheim</TwnNm>
      <Ctry>NO</Ctry>
      <AdrLine>Søndregate 13-15</AdrLine>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <Othr>
        <Id>97600000091</Id>
        <SchmeNm>
          <Cd>BBAN</Cd>
        </SchmeNm>
      </Othr>
    </Id>
  </CdtrAcct>
  <RmtInf>
    <Strd>
      <RfrdDocInf>
        <Tp>
          <CdOrPrtry>
            <Cd>CINV</Cd>
          </CdOrPrtry>
        </Tp>
        <Nb>11003</Nb>
        <RltdDt>2012-11-14</RltdDt>
      </RfrdDocInf>
    </Strd>
  </RmtInf>
</CdtTrfTxInf>

```



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```
</PmtInf>  
</CstmrCdtTrfIntrn>  
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Norwegian account transfer with subspecifications

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInItn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2011-05-11T10:30:00</CreDtTm>
      <NbOfTxs>2</NbOfTxs>
      <InitgPty>
        <Nm>Corporate X</Nm>
        <Id>
          <OrgId>
            <Othr>
              <Id>987654321</Id>
              <SchmeNm>
                <Cd>CUST</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInflId>PmtInflId</PmtInflId>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplInf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplInf>
      <ReqdExctnDt>2013-01-09</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>NO</Ctry>
        </PstlAdr>
        <Id>
          <OrgId>
            <Othr>
              <Id>987654321</Id>
              <SchmeNm>
                <Cd>CUST</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>N02097600123456</IBAN>
        </Id>
        <Ccy>NOK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABANO22</BIC>
        </FinInstnId>
        <PstlAdr>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    <Ctry>NO</Ctry>
  </PstlAdr>
</FinInstnId>
</DbtrAgt>
<CdtTrfTxInf>
  <PmtId>
    <InstrId>NO subspecifications</InstrId>
    <EndToEndId>EndToEnd1 </EndToEndId>
  </PmtId>
  <Amt>
    <InstdAmt Ccy="NOK">0.02</InstdAmt>
  </Amt>
  <CdtrAgt>
    <FinInstnId>
      <BIC>DABANO22</BIC>
    <PstlAdr>
      <TwnNm>Trondheim</TwnNm>
      <Ctry>NO</Ctry>
    </PstlAdr>
    </FinInstnId>
  </CdtrAgt>
  <Cdtr>
    <Nm>Creditor</Nm>
    <PstlAdr>
      <PstCd>7012</PstCd>
      <TwnNm>Trondheim</TwnNm>
      <Ctry>NO</Ctry>
      <AdrLine>Søndregate 13-15</AdrLine>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <IBAN>NO5197600000091</IBAN>
    </Id>
  </CdtrAcct>
  <RmtInf>
    <Strd>
      <RfrdDocInf>
        <Tp>
          <CdOrPrtry>
            <Cd>CREN</Cd>
          </CdOrPrtry>
        </Tp>
      </RfrdDocInf>
      <RfrdDocAmt>
        <CdtNoteAmt Ccy="NOK">1.01</CdtNoteAmt>
      </RfrdDocAmt>
      <CdtrRefInf>
        <Tp>
          <CdOrPrtry>
            <Cd>SCOR</Cd>
          </CdOrPrtry>
        </Tp>
        <Ref>2023128154</Ref>
      </CdtrRefInf>
    </Strd>
  </RmtInf>
  <Strd>
    <RfrdDocInf>
      <Tp>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    <CdOrPrtry>
      <Cd>CINV</Cd>
    </CdOrPrtry>
  </Tp>
</RfrdDocInf>
<RfrdDocAmt>
  <RmtdAmt Ccy="NOK">1.02</RmtdAmt>
</RfrdDocAmt>
<CdtrRefInf>
  <Tp>
    <CdOrPrtry>
      <Cd>SCOR</Cd>
    </CdOrPrtry>
  </Tp>
  <Ref>2023128154</Ref>
</CdtrRefInf>
</Strd>
<Strd>
  <RfrdDocInf>
    <Tp>
      <CdOrPrtry>
        <Cd>CREN</Cd>
      </CdOrPrtry>
    </Tp>
    <Nb>1234579</Nb>
    <RltdDt>2013-01-05</RltdDt>
  </RfrdDocInf>
  <RfrdDocAmt>
    <CdtNoteAmt Ccy="NOK">1.03</CdtNoteAmt>
  </RfrdDocAmt>
</Strd>
<Strd>
  <RfrdDocInf>
    <Tp>
      <CdOrPrtry>
        <Cd>CINV</Cd>
      </CdOrPrtry>
    </Tp>
    <Nb>1234578</Nb>
    <RltdDt>2013-01-08</RltdDt>
  </RfrdDocInf>
  <RfrdDocAmt>
    <RmtdAmt Ccy="NOK">1.04</RmtdAmt>
  </RfrdDocAmt>
</Strd>
</RmtInf>
</CdtTrfTxInf>
<CdtTrfTxInf>
  <PmtId>
    <InstrId>NO subspecifications</InstrId>
    <EndToEndId>EndToEnd2</EndToEndId>
  </PmtId>
  <Amt>
    <InstdAmt Ccy="NOK">0.02</InstdAmt>
  </Amt>
  <CdtrAgt>
    <FinInstnId>
      <BIC>DABAN022</BIC>
    <PstlAdr>

```


Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    <TwnNm>Trondheim</TwnNm>
    <Ctry>NO</Ctry>
    </PstlAdr>
    </FinInstnId>
    </CdtrAgt>
    <Cdtr>
    <Nm>Creditor</Nm>
    <PstlAdr>
    <PstCd>7012</PstCd>
    <TwnNm>Trondheim</TwnNm>
    <Ctry>NO</Ctry>
    <AdrLine>Søndregate 13-15</AdrLine>
    </PstlAdr>
    </Cdtr>
    <CdtrAcct>
    <Id>
    <IBAN>NO5197600000091</IBAN>
    </Id>
    </CdtrAcct>
    <RmtInf>
    <Strd>
    <RfrdDocInf>
    <Tp>
    <CdOrPrtry>
    <Cd>CREN</Cd>
    </CdOrPrtry>
    </Tp>
    </RfrdDocInf>
    <RfrdDocAmt>
    <CdtNoteAmt Ccy="NOK">1.05</CdtNoteAmt>
    </RfrdDocAmt>
    <CdtrRefInf>
    <Tp>
    <CdOrPrtry>
    <Cd>SCOR</Cd>
    </CdOrPrtry>
    </Tp>
    <Ref>2023128154</Ref>
    </CdtrRefInf>
    </Strd>
    <Strd>
    <RfrdDocInf>
    <Tp>
    <CdOrPrtry>
    <Cd>CINV</Cd>
    </CdOrPrtry>
    </Tp>
    </RfrdDocInf>
    <RfrdDocAmt>
    <RmtdAmt Ccy="NOK">1.06</RmtdAmt>
    </RfrdDocAmt>
    <CdtrRefInf>
    <Tp>
    <CdOrPrtry>
    <Cd>SCOR</Cd>
    </CdOrPrtry>
    </Tp>
    <Ref>2023128154</Ref>
    </CdtrRefInf>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Strd>
<Strd>
  <RfrdDocInf>
    <Tp>
      <CdOrPrtry>
        <Cd>CREN</Cd>
      </CdOrPrtry>
    </Tp>
    <Nb>1234579</Nb>
    <RltdDt>2013-01-06</RltdDt>
  </RfrdDocInf>
  <RfrdDocAmt>
    <CdtNoteAmt Ccy="NOK">1.07</CdtNoteAmt>
  </RfrdDocAmt>
</Strd>
<Strd>
  <RfrdDocInf>
    <Tp>
      <CdOrPrtry>
        <Cd>CINV</Cd>
      </CdOrPrtry>
    </Tp>
    <Nb>1234578</Nb>
    <RltdDt>2013-01-08</RltdDt>
  </RfrdDocInf>
  <RfrdDocAmt>
    <RmtdAmt Ccy="NOK">1.08</RmtdAmt>
  </RfrdDocAmt>
</Strd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Norwegian cash payment

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInItn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2011-05-11T10:30:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Nm>Corporate X</Nm>
        <Id>
          <OrgId>
            <Othr>
              <Id>987654321</Id>
              <SchmeNm>
                <Cd>CUST</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>CHK</PmtMtd>
      <PmtTpInf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTpInf>
      <ReqdExctnDt>2012-12-17</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>NO</Ctry>
        </PstlAdr>
        <Id>
          <OrgId>
            <Othr>
              <Id>987654321</Id>
              <SchmeNm>
                <Cd>CUST</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>N06197600000105</IBAN>
        </Id>
        <Ccy>NOK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABANO22</BIC>
        </FinInstnId>
        <PstlAdr>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    <Ctry>NO</Ctry>
  </PstlAdr>
</FinInstnId>
</DbtrAgt>
<CdtTrfTxInf>
  <PmtId>
    <InstrId>NO cash payment</InstrId>
    <EndToEndId>EndToEndId</EndToEndId>
  </PmtId>
  <Amt>
    <InstdAmt Ccy="NOK">1.00</InstdAmt>
  </Amt>
  <ChqInstr>
    <ChqTp>BCHQ</ChqTp>
  </ChqInstr>
  <Cdtr>
    <Nm>Creditor</Nm>
    <PstlAdr>
      <PstCd>7012</PstCd>
      <TwnNm>Trondheim</TwnNm>
      <Ctry>NO</Ctry>
      <AdrLine>Søndregate 13-15</AdrLine>
    </PstlAdr>
  </Cdtr>
  <RmtInf>
    <Ustrd>Unstructured remittance information</Ustrd>
  </RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntr>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Sweden - sample files

Swedish salary

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInitn>
    <GrpHdr>
      <MsgId>Msgld</MsgId>
      <CreDtTm>2011-05-11T10:30:00</CreDtTm>
      <NbOfTx>1</NbOfTx>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInflId>PmtInflId</PmtInflId>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
        <CtgyPurp>
          <Cd>SALA</Cd>
        </CtgyPurp>
      </PmtTplnf>
      <ReqdExctnDt>2012-09-17</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>SE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <Othr>
            <Id>12200115199</Id>
            <SchmeNm>
              <Cd>BBAN</Cd>
            </SchmeNm>
          </Othr>
        </Id>
        <Ccy>SEK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABASESX</BIC>
        <PstlAdr>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    <Ctry>SE</Ctry>
  </PstlAdr>
</FinInstnId>
</DbtrAgt>
<CdtTrfTxInf>
  <PmtId>
    <InstrId>SE salary transfer</InstrId>
    <EndToEndId>EndToEndId</EndToEndId>
  </PmtId>
  <Amt>
    <InstdAmt Ccy="SEK">1.00</InstdAmt>
  </Amt>
  <CdtrAgt>
    <FinInstnId>
      <BIC>DABASESX</BIC>
    <PstlAdr>
      <Ctry>SE</Ctry>
    </PstlAdr>
    </FinInstnId>
  </CdtrAgt>
  <Cdtr>
    <Nm>Creditor</Nm>
    <PstlAdr>
      <PstCd>10392</PstCd>
      <TwnNm>Stockholm</TwnNm>
      <Ctry>SE</Ctry>
      <AdrLine>Norr malmstorg 1</AdrLine>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <Othr>
        <Id>12345678901</Id>
        <SchmeNm>
          <Cd>BBAN</Cd>
        </SchmeNm>
      </Othr>
    </Id>
  </CdtrAcct>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Swedish account transfer – short-form advice

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2011-05-11T10:30:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-26</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>SE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <Othr>
            <Id>12200115199</Id>
            <SchmeNm>
              <Cd>BBAN</Cd>
            </SchmeNm>
          </Othr>
        </Id>
        <Ccy>SEK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABASESX</BIC>
          <PstlAdr>
            <Ctry>SE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<InstrId>SE account trf. with short advice</InstrId>
<EndToEndId>EndToEndId</EndToEndId>
</PmtId>
<Amt>
  <InstdAmt Ccy="SEK">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABASESX</BIC>
    <PstlAdr>
      <Ctry>SE</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>SE</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>12345678901</Id>
      <SchmeNm>
        <Cd>BBAN</Cd>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<Purp>
  <Prtry>Short advice</Prtry>
</Purp>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```


Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Swedish account transfer – long-form advice

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2011-05-11T10:30:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-26</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>SE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <Othr>
            <Id>12200115199</Id>
            <SchmeNm>
              <Cd>BBAN</Cd>
            </SchmeNm>
          </Othr>
        </Id>
        <Ccy>SEK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABASESX</BIC>
          <PstlAdr>
            <Ctry>SE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<InstrId>SE account trf. with long advice</InstrId>
<EndToEndId>EndToEndId</EndToEndId>
</PmtId>
<Amt>
  <InstdAmt Ccy="SEK">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABASESX</BIC>
    <PstlAdr>
      <Ctry>SE</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <PstCd>10392</PstCd>
    <TwnNm>Stockholm</TwnNm>
    <Ctry>SE</Ctry>
    <AdrLine>Norrmalmstorg 1</AdrLine>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>12345678901</Id>
      <SchmeNm>
        <Cd>BBAN</Cd>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>Ustrd .....line 1</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Swedish account transfer with structured advice

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>096919</MsgId>
      <CreDtTm>2019-10-10T10:30:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2022-10-10</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>SE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <Othr>
            <Id>12200115199</Id>
            <SchmeNm>
              <Prtry>BBAN</Prtry>
            </SchmeNm>
          </Othr>
        </Id>
        <Ccy>SEK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABASESX</BIC>
          <PstlAdr>
            <Ctry>SE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<InstrId>SE account trf with strd advice</InstrId>
<EndToEndId>EndToEndId</EndToEndId>
</PmtId>
<Amt>
  <InstdAmt Ccy="SEK">13</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABASESX</BIC>
    <PstlAdr>
      <Ctry>SE</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <StrtNm>Street Name</StrtNm>
    <BldgNb>1</BldgNb>
    <PstCd>10392</PstCd>
    <TwnNm>Stockholm</TwnNm>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>12345678901</Id>
      <SchmeNm>
        <Prtry>BBAN</Prtry>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Strd>
    <RfrdDocInf>
      <Tp>
        <CdOrPrtry>
          <Cd>CINV</Cd>
        </CdOrPrtry>
      </Tp>
      <Nb>178001</Nb>
    </RfrdDocInf>
    <RfrdDocAmt>
      <RmtdAmt Ccy="SEK">10</RmtdAmt>
    </RfrdDocAmt>
  </Strd>
  <Strd>
    <RfrdDocInf>
      <Tp>
        <CdOrPrtry>
          <Cd>CINV</Cd>
        </CdOrPrtry>
      </Tp>
      <Nb>178001</Nb>
    </RfrdDocInf>
    <RfrdDocAmt>
      <RmtdAmt Ccy="SEK">20</RmtdAmt>
    </RfrdDocAmt>
  </Strd>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Strd>
<Strd>
  <RfrdDocInf>
    <Tp>
      <CdOrPrtry>
        <Cd>CREN</Cd>
      </CdOrPrtry>
    </Tp>
    <Nb>178001</Nb>
  </RfrdDocInf>
  <RfrdDocAmt>
    <CdtNoteAmt Ccy="SEK">17</CdtNoteAmt>
  </RfrdDocAmt>
</Strd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfInittn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Swedish cash payment

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2011-05-11T10:30:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInflId>PmtInflId</PmtInflId>
      <PmtMtd>CHK</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-09-17</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>SE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <Othr>
            <Id>12200115199</Id>
            <SchmeNm>
              <Cd>BBAN</Cd>
            </SchmeNm>
          </Othr>
        </Id>
        <Ccy>SEK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABASESX</BIC>
          <PstlAdr>
            <Ctry>SE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<InstrId>SE cash payment</InstrId>
<EndToEndId>EndToEndId</EndToEndId>
</PmtId>
<Amt>
  <InstdAmt Ccy="SEK">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABASESX</BIC>
    <PstlAdr>
      <Ctry>SE</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <PstCd>10392</PstCd>
    <TwnNm>Stockholm</TwnNm>
    <Ctry>SE</Ctry>
    <AdrLine>Norrmalmstorg 1</AdrLine>
  </PstlAdr>
</Cdtr>
<RmtInf>
  <Ustrd>Ustrd .....line 1</Ustrd>
  <Ustrd>Ustrd .....line 2</Ustrd>
  <Ustrd>Ustrd .....line 3</Ustrd>
  <Ustrd>Ustrd .....line 4</Ustrd>
  <Ustrd>Ustrd .....line 5</Ustrd>
  <Ustrd>Ustrd .....line 6</Ustrd>
  <Ustrd>Ustrd .....line 7</Ustrd>
  <Ustrd>Ustrd .....line 8</Ustrd>
  <Ustrd>Ustrd .....line 9</Ustrd>
  <Ustrd>Ustrd .....line 10</Ustrd>
  <Ustrd>Ustrd .....line 11</Ustrd>
  <Ustrd>Ustrd .....line 12</Ustrd>
  <Ustrd>Ustrd .....line 13</Ustrd>
  <Ustrd>Ustrd .....line 14</Ustrd>
  <Ustrd>Ustrd .....END.....line 15</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Swedish Bankgiro payment - text reference

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2011-05-11T10:30:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfd>PmtInfd</PmtInfd>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-09-17</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>SE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <Othr>
            <Id>12200115199</Id>
            <SchmeNm>
              <Cd>BBAN</Cd>
            </SchmeNm>
          </Othr>
        </Id>
        <Ccy>SEK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABASESX</BIC>
          <PstlAdr>
            <Ctry>SE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
```


Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<InstrId>SE BankGiro text reference</InstrId>
<EndToEndId>EndToEndId</EndToEndId>
</PmtId>
<Amt>
  <InstdAmt Ccy="SEK">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABASESX</BIC>
    <PstlAdr>
      <Ctry>SE</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <PstCd>10392</PstCd>
    <TwnNm>Stockholm</TwnNm>
    <Ctry>SE</Ctry>
    <AdrLine>Norrnormalstorg 1</AdrLine>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>12345678</Id>
      <SchmeNm>
        <Prtry>BGNR</Prtry>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<Purp>
  <Prtry>Short message</Prtry>
</Purp>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Swedish Bankgiro payment - OCR reference

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2011-05-11T10:30:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-09-17</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>SE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <Othr>
            <Id>12200115199</Id>
            <SchmeNm>
              <Cd>BBAN</Cd>
            </SchmeNm>
          </Othr>
        </Id>
        <Ccy>SEK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABASESX</BIC>
          <PstlAdr>
            <Ctry>SE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<InstrId>SE BankGiro OCR reference</InstrId>
<EndToEndId>EndToEndId</EndToEndId>
</PmtId>
<Amt>
  <InstdAmt Ccy="SEK">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABASESX</BIC>
    <PstlAdr>
      <Ctry>SE</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <PstCd>10392</PstCd>
    <TwnNm>Stockholm</TwnNm>
    <Ctry>SE</Ctry>
    <AdrLine>Norrmalmstorg 1</AdrLine>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>12345678</Id>
      <SchmeNm>
        <Prtry>BGNR</Prtry>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Strd>
    <CdtrRefInf>
      <Tp>
        <CdOrPrtry>
          <Cd>SCOR</Cd>
        </CdOrPrtry>
      </Tp>
      <Ref>123456789</Ref>
    </CdtrRefInf>
  </Strd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfInItm>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Swedish Bankgiro payment - long-form advice

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2011-05-11T10:30:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-09-17</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>SE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <Othr>
            <Id>12200115199</Id>
            <SchmeNm>
              <Cd>BBAN</Cd>
            </SchmeNm>
          </Othr>
        </Id>
        <Ccy>SEK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABASESX</BIC>
          <PstlAdr>
            <Ctry>SE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<InstrId>SE BankGiro long advice</InstrId>
<EndToEndId>EndToEndId</EndToEndId>
</PmtId>
<Amt>
  <InstdAmt Ccy="SEK">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABASESX</BIC>
    <PstlAdr>
      <Ctry>SE</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <PstCd>10392</PstCd>
    <TwnNm>Stockholm</TwnNm>
    <Ctry>SE</Ctry>
    <AdrLine>Norrmalmstorg 1</AdrLine>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>12345678</Id>
      <SchmeNm>
        <Prtry>BGNR</Prtry>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>Ustrd .....line 1</Ustrd>
  <Ustrd>Ustrd .....line 2</Ustrd>
  <Ustrd>Ustrd .....line 3</Ustrd>
  <Ustrd>Ustrd .....line 4</Ustrd>
  <Ustrd>Ustrd .....line 5</Ustrd>
  <Ustrd>Ustrd .....line 6</Ustrd>
  <Ustrd>Ustrd .....line 7</Ustrd>
  <Ustrd>Ustrd .....line 8</Ustrd>
  <Ustrd>Ustrd .....line 9</Ustrd>
  <Ustrd>Ustrd .....line 10</Ustrd>
  <Ustrd>Ustrd .....line 11</Ustrd>
  <Ustrd>Ustrd .....line 12</Ustrd>
  <Ustrd>Ustrd .....line 13</Ustrd>
  <Ustrd>Ustrd .....line 14</Ustrd>
  <Ustrd>Ustrd .....END.....line 15</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfInItm>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Swedish Bankgiro payment with structured advice

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>954029</MsgId>
      <CreDtTm>2022-10-10T10:30:00</CreDtTm>
      <NbOfTxs>3</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfd>PmtInfd5</PmtInfd>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2022-10-10</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>SE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <Othr>
            <Id>12200115199</Id>
            <SchmeNm>
              <Prtry>BBAN</Prtry>
            </SchmeNm>
          </Othr>
        </Id>
        <Ccy>SEK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABASESX</BIC>
          <PstlAdr>
            <Ctry>SE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<InstrId>SE Bankgiro strd advice</InstrId>
<EndToEndId>EndToEndId</EndToEndId>
</PmtId>
<Amt>
  <InstdAmt Ccy="SEK">13</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABASESX</BIC>
    <PstlAdr>
      <Ctry>SE</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <StrtNm>Street Name</StrtNm>
    <BldgNb>1</BldgNb>
    <PstCd>10392</PstCd>
    <TwnNm>Stockholm</TwnNm>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>12345678</Id>
      <SchmeNm>
        <Prtry>BGNR</Prtry>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Strd>
    <RfrdDocInf>
      <Tp>
        <CdOrPrtry>
          <Cd>CINV</Cd>
        </CdOrPrtry>
      </Tp>
      <Nb>178001</Nb>
    </RfrdDocInf>
    <RfrdDocAmt>
      <RmtdAmt Ccy="SEK">10</RmtdAmt>
    </RfrdDocAmt>
  </Strd>
  <Strd>
    <RfrdDocInf>
      <Tp>
        <CdOrPrtry>
          <Cd>CINV</Cd>
        </CdOrPrtry>
      </Tp>
      <Nb>178001</Nb>
    </RfrdDocInf>
    <RfrdDocAmt>
      <RmtdAmt Ccy="SEK">20</RmtdAmt>
    </RfrdDocAmt>
  </Strd>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Strd>
<Strd>
  <RfrdDocInf>
    <Tp>
      <CdOrPrtry>
        <Cd>CREN</Cd>
      </CdOrPrtry>
    </Tp>
    <Nb>178001</Nb>
  </RfrdDocInf>
  <RfrdDocAmt>
    <CdtNoteAmt Ccy="SEK">17</CdtNoteAmt>
  </RfrdDocAmt>
</Strd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntr>
</Document>

```


Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Swedish Plusgiro payment - text reference

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2011-05-11T10:30:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-09-17</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>SE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <Othr>
            <Id>12200115199</Id>
            <SchmeNm>
              <Cd>BBAN</Cd>
            </SchmeNm>
          </Othr>
        </Id>
        <Ccy>SEK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABASESX</BIC>
          <PstlAdr>
            <Ctry>SE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<InstrId>SE PlusGiro text reference</InstrId>
<EndToEndId>EndToEndId</EndToEndId>
</PmtId>
<Amt>
  <InstdAmt Ccy="SEK">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABASESX</BIC>
    <PstlAdr>
      <Ctry>SE</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <PstCd>10392</PstCd>
    <TwnNm>Stockholm</TwnNm>
    <Ctry>SE</Ctry>
    <AdrLine>Norrmalmsgata 1</AdrLine>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>12345678</Id>
      <SchmeNm>
        <Cd>BBAN</Cd>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<Purp>
  <Prtry>Short message</Prtry>
</Purp>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Swedish Plusgiro payment - long-form advice

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2011-05-11T10:30:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-09-17</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>SE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <Othr>
            <Id>12200115199</Id>
            <SchmeNm>
              <Cd>BBAN</Cd>
            </SchmeNm>
          </Othr>
        </Id>
        <Ccy>SEK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABASESX</BIC>
          <PstlAdr>
            <Ctry>SE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<InstrId>SE PlusGiro long form</InstrId>
<EndToEndId>EndToEndId</EndToEndId>
</PmtId>
<Amt>
  <InstdAmt Ccy="SEK">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABASESX</BIC>
    <PstlAdr>
      <Ctry>SE</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <PstCd>10392</PstCd>
    <TwnNm>Stockholm</TwnNm>
    <Ctry>SE</Ctry>
    <AdrLine>Norrmalmstorg 1</AdrLine>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>12345678</Id>
      <SchmeNm>
        <Cd>BBAN</Cd>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>Ustrd .....line 1</Ustrd>
  <Ustrd>Ustrd .....line 2</Ustrd>
  <Ustrd>Ustrd .....line 3</Ustrd>
  <Ustrd>Ustrd .....line 4</Ustrd>
  <Ustrd>Ustrd .....line 5</Ustrd>
  <Ustrd>Ustrd .....line 6</Ustrd>
  <Ustrd>Ustrd .....line 7</Ustrd>
  <Ustrd>Ustrd .....line 8</Ustrd>
  <Ustrd>Ustrd .....line 9</Ustrd>
  <Ustrd>Ustrd .....END.....line 10</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Swedish Plusgiro payment - OCR reference

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2011-05-11T10:30:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-09-17</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>SE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <Othr>
            <Id>12200115199</Id>
            <SchmeNm>
              <Cd>BBAN</Cd>
            </SchmeNm>
          </Othr>
        </Id>
        <Ccy>SEK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABASESX</BIC>
          <PstlAdr>
            <Ctry>SE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<InstrId>SE PlusGiro OCR reference</InstrId>
<EndToEndId>EndToEndId</EndToEndId>
</PmtId>
<Amt>
  <InstdAmt Ccy="SEK">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABASESX</BIC>
    <PstlAdr>
      <Ctry>SE</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <PstCd>10392</PstCd>
    <TwnNm>Stockholm</TwnNm>
    <Ctry>SE</Ctry>
    <AdrLine>Norrmalmstorg 1</AdrLine>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>12345678</Id>
      <SchmeNm>
        <Cd>BBAN</Cd>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Strd>
    <CdtrRefInf>
      <Tp>
        <CdOrPrtry>
          <Cd>SCOR</Cd>
        </CdOrPrtry>
      </Tp>
      <Ref>1234567</Ref>
    </CdtrRefInf>
  </Strd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfInItm>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Finland – sample files

Finnish salary

```
<?xml version="1.0" encoding="UTF-8"?>
<Document xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance">
<CstmrCdtTrfInft>
<GrpHdr>
<MsgId>20121105-MSGID9</MsgId>
<CreDtTm>2012-06-01T09:30:47Z</CreDtTm>
<NbOfTxs>2</NbOfTxs>
<InitgPty>
<Nm>InitgPty Name</Nm>
</InitgPty>
</GrpHdr>
<PmtInf>
<PmtInfId>20121105-PMTINF9</PmtInfId>
<PmtMtd>TRF</PmtMtd>
<BtchBookg>true</BtchBookg>
<PmtTplnf>
<SvcLvl>
<Cd>SEPA</Cd>
</SvcLvl>
<CtgyPurp>
<Cd>SALA</Cd>
</CtgyPurp>
</PmtTplnf>
<ReqdExctnDt>2012-11-05</ReqdExctnDt>
<Dbtr>
<Nm>Maksaja Oy</Nm>
<Id>
<Orgld>
<Othr>
<Id>12345678</Id>
<Issr>YTJ</Issr>
</Othr>
</Orgld>
</Id>
</Dbtr>
<DbtrAcct>
<Id>
<IBAN>FI9881234567890123</IBAN>
</Id>
<Ccy>EUR</Ccy>
</DbtrAcct>
<DbtrAgt>
<FinInstnId>
<BIC>DABAFIHH</BIC>
</FinInstnId>
</DbtrAgt>
<UltmtDbtr>
<Nm>Ultimate Maksaja Oy</Nm>
</UltmtDbtr>
<ChrgBr>SLEV</ChrgBr>
<CdtTrfTxlnf>
<PmtId>
<InstrId>Tapahtuman yksilöintitieto</InstrId>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    <EndToEndId>20121105-EndToEnd11</EndToEndId>
  </PmtId>
  <Amt>
    <InstdAmt Ccy="EUR">2448.50</InstdAmt>
  </Amt>
  <CdtrAgt>
    <FinInstnId>
      <BIC>DABAFIHH</BIC>
    </FinInstnId>
  </CdtrAgt>
  <Cdtr>
    <Nm>Pekka Paikansaaja</Nm>
    <PstlAdr>
      <Ctry>FI</Ctry>
      <AdrLine>Katu 8 A</AdrLine>
      <AdrLine>00550 Helsinki</AdrLine>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <IBAN>FI9881234501234567</IBAN>
    </Id>
  </CdtrAcct>
  <Purp>
    <Cd>SALA</Cd>
  </Purp>
  <RmtInf>
    <Ustrd>Palkka ajalta 2.-31.5.2012</Ustrd>
  </RmtInf>
</CdtTrfTxInf>
<CdtTrfTxInf>
  <PmtId>
    <InstrId>Tapahtuman yksilöintitieto</InstrId>
    <EndToEndId>20121105-EndToEnd12</EndToEndId>
  </PmtId>
  <Amt>
    <InstdAmt Ccy="EUR">1000.00</InstdAmt>
  </Amt>
  <CdtrAgt>
    <FinInstnId>
      <BIC>DABAFIHH</BIC>
    </FinInstnId>
  </CdtrAgt>
  <Cdtr>
    <Nm>Agent Company</Nm>
    <PstlAdr>
      <Ctry>FI</Ctry>
      <AdrLine>Helsinki</AdrLine>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <IBAN>FI9881234567890123</IBAN>
    </Id>
  </CdtrAcct>
  <UltmtCdtr>
    <Nm>Eino Eläkkeensaaja</Nm>
    <PstlAdr>
      <Ctry>FI</Ctry>

```


Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<AdrLine>Katu 2 C 41</AdrLine>
<AdrLine>00440 Helsinki</AdrLine>
</PstlAdr>
<Id>
<PrvtId>
<Othr>
<Id>111233-0000</Id>
<SchmeNm>
<Cd>SOSE</Cd>
</SchmeNm>
</Othr>
</PrvtId>
</Id>
</UltmtCdtr>
<Purp>
<Cd>PENS</Cd>
</Purp>
<RmtInf>
<Ustrd>Eläke lokakuu 2012</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntr>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Finnish salary - confidential

```
<?xml version="1.0" encoding="UTF-8"?>
<Document xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance">
  <CstmrCdtTrfInItn>
    <GrpHdr>
      <MsgId>20121105-MSGID9</MsgId>
      <CreDtTm>2012-06-01T09:30:47Z</CreDtTm>
      <NbOfTx>2</NbOfTx>
      <InitgPty>
        <Nm>InitgPty Name</Nm>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfd>20121105-PMTINF9</PmtInfd>
      <PmtMtd>TRF</PmtMtd>
      <BtchBookg>true</BtchBookg>
      <PmtTplnf>
        <SvcLvl>
          <Cd>SEPA</Cd>
        </SvcLvl>
        <CtgyPurp>
          <Prtry>CONF</Prtry>
        </CtgyPurp>
      </PmtTplnf>
      <ReqdExctnDt>2012-11-05</ReqdExctnDt>
      <Dbtr>
        <Nm>Maksaja Oy</Nm>
        <Id>
          <Orgld>
            <Othr>
              <Id>12345678</Id>
              <Issr>YTJ</Issr>
            </Othr>
          </Orgld>
        </Id>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>FI9881234567890123</IBAN>
        </Id>
        <Ccy>EUR</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAFIHH</BIC>
        </FinInstnId>
      </DbtrAgt>
      <UltmtDbtr>
        <Nm>Ultimate Maksaja Oy</Nm>
      </UltmtDbtr>
      <ChrgBr>SLEV</ChrgBr>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>Tapahtuman yksilöintitieto</InstrId>
          <EndToEndId>20121105-EndToEnd11</EndToEndId>
        </PmtId>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfInItn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<CtgyPurp>
  <Cd>SALA</Cd>
</CtgyPurp>
</PmtTplnf>
<Amt>
  <InstdAmt Ccy="EUR">2448.50</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABAFIHH</BIC>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Pekka Palkansaaja</Nm>
  <PstlAdr>
    <Ctry>FI</Ctry>
    <AdrLine>Katu 8 A</AdrLine>
    <AdrLine>00550 Helsinki</AdrLine>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>FI9881234501234567</IBAN>
  </Id>
</CdtrAcct>
<Purp>
  <Cd>SALA</Cd>
</Purp>
<RmtInf>
  <Ustrd>Palkka ajalta 2.-31.5.2012</Ustrd>
</RmtInf>
</CdtTrfTxInf>
<CdtTrfTxInf>
  <PmtId>
    <InstrId>Tapahtuman yksilöintitieto</InstrId>
    <EndToEndId>20121105-EndToEnd12</EndToEndId>
  </PmtId>
<PmtTplnf>
  <CtgyPurp>
    <Cd>SALA</Cd>
  </CtgyPurp>
</PmtTplnf>
<Amt>
  <InstdAmt Ccy="EUR">1000.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABAFIHH</BIC>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Agent Company</Nm>
  <PstlAdr>
    <Ctry>FI</Ctry>
    <AdrLine>Helsinki</AdrLine>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    <IBAN>FI9881234567890123</IBAN>
  </Id>
</CdtrAcct>
<UltmtCdtr>
  <Nm>Eino Eläkkeensaaja</Nm>
  <PstlAdr>
    <Ctry>FI</Ctry>
    <AdrLine>Katu 2 C 41</AdrLine>
    <AdrLine>00440 Helsinki</AdrLine>
  </PstlAdr>
  <Id>
    <PrvtId>
      <Othr>
        <Id>111233-0000</Id>
        <SchmeNm>
          <Cd>SOSE</Cd>
        </SchmeNm>
      </Othr>
    </PrvtId>
  </Id>
</UltmtCdtr>
<Purp>
  <Cd>PENS</Cd>
</Purp>
<RmtInf>
  <Ustrd>Eläke lokakuu 2012</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntr>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Finnish SEPA account transfer - unstructured message

```
<?xml version="1.0" encoding="UTF-8"?>
<Document xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance">
  <CstmrCdtTrfInftn>
    <GrpHdr>
      <MsgId>20121105-MSGID5</MsgId>
      <CreDtTm>2012-06-01T09:30:47Z</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Nm>InitgPty Name</Nm>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfd>20121105-PMTINF5</PmtInfd>
      <PmtMtd>TRF</PmtMtd>
      <BtchBookg>true</BtchBookg>
      <PmtTplnf>
        <SvcLvl>
          <Cd>SEPA</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-11-05</ReqdExctnDt>
      <Dbtr>
        <Nm>Maksaja Oy</Nm>
        <Id>
          <Orgld>
            <Othr>
              <Id>12345678</Id>
              <Issr>YTJ</Issr>
            </Othr>
          </Orgld>
        </Id>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>FI9881234567890123</IBAN>
        </Id>
        <Ccy>EUR</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnld>
          <BIC>DABAFIHH</BIC>
        </FinInstnld>
      </DbtrAgt>
      <ChrgBr>SLEV</ChrgBr>
      <CdtTrfTxlnf>
        <PmtId>
          <InstrId>Tapahtuman yksilöintitieto1</InstrId>
          <EndToEndId>20121105-EndToEnd7</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="EUR">215.65</InstdAmt>
        </Amt>
        <CdtrAgt>
          <FinInstnld>
            <BIC>DABAFIHH</BIC>
          </FinInstnld>
        </CdtrAgt>
      </CdtTrfTxlnf>
    </PmtInf>
  </CstmrCdtTrfInftn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</CdtrAgt>
<Cdtr>
  <Nm>Saaja Oy</Nm>
  <PstlAdr>
    <Ctry>FI</Ctry>
    <AdrLine>Katu 3</AdrLine>
    <AdrLine>00440 Hki</AdrLine>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>FI9881234501234567</IBAN>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>Invoice no 12345</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)
Supported payment types and examples

Finnish SEPA account transfer - reference

```
<?xml version="1.0" encoding="UTF-8"?>
<Document xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance">
  <CstmrCdtTrfInItn>
    <GrpHdr>
      <MsgId>20121105-MSGID3</MsgId>
      <CreDtTm>2012-06-01T09:30:47Z</CreDtTm>
      <NbOfTxs>2</NbOfTxs>
      <InitgPty>
        <Nm>InitgPty Name</Nm>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfId>20121105-PMTINF3</PmtInfId>
      <PmtMtd>TRF</PmtMtd>
      <BtchBookg>true</BtchBookg>
      <PmtTplnf>
        <SvcLvl>
          <Cd>SEPA</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-11-05</ReqdExctnDt>
      <Dbtr>
        <Nm>Maksaja Oy</Nm>
        <Id>
          <OrgId>
            <Othr>
              <Id>12345678</Id>
              <Issr>YTJ</Issr>
            </Othr>
          </OrgId>
        </Id>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>FI9881234567890123</IBAN>
        </Id>
        <Ccy>EUR</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAFIHH</BIC>
        </FinInstnId>
      </DbtrAgt>
      <ChrgBr>SLEV</ChrgBr>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>Tapahtuman yksilöintitieto1</InstrId>
          <EndToEndId>20121105-EndToEnd4</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="EUR">115.75</InstdAmt>
        </Amt>
        <CdtrAgt>
          <FinInstnId>
            <BIC>DABAFIHH</BIC>
          </FinInstnId>
        </CdtrAgt>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfInItn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</CdtrAgt>
<Cdtr>
  <Nm>Saaja Oy</Nm>
  <PstlAdr>
    <Ctry>FI</Ctry>
    <AdrLine>Katu 3</AdrLine>
    <AdrLine>00440 Hki</AdrLine>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>FI9881234501234567</IBAN>
  </Id>
</CdtrAcct>
<RmtInf>
  <Strd>
    <CdtrRefInf>
      <Tp>
        <CdOrPrtry>
          <Cd>SCOR</Cd>
        </CdOrPrtry>
      </Tp>
      <Ref>123453</Ref>
    </CdtrRefInf>
  </Strd>
</RmtInf>
</CdtTrfTxInf>
<CdtTrfTxInf>
  <PmtId>
    <InstrId>Tapahtuman yksilöintitieto2</InstrId>
    <EndToEndId>20121105-EndToEnd5</EndToEndId>
  </PmtId>
  <Amt>
    <InstdAmt Ccy="EUR">114.25</InstdAmt>
  </Amt>
  <CdtrAgt>
    <FinInstnId>
      <BIC>DABAFIHH</BIC>
    </FinInstnId>
  </CdtrAgt>
  <Cdtr>
    <Nm>Saaja Oy</Nm>
    <PstlAdr>
      <Ctry>FI</Ctry>
      <AdrLine>Katu 3</AdrLine>
      <AdrLine>00440 Hki</AdrLine>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <IBAN>FI9881234501234567</IBAN>
    </Id>
  </CdtrAcct>
  <RmtInf>
    <Strd>
      <CdtrRefInf>
        <Tp>
          <CdOrPrtry>
            <Cd>SCOR</Cd>
          </CdOrPrtry>
        </Tp>
      </CdtrRefInf>
    </Strd>
  </RmtInf>
</CdtTrfTxInf>

```




Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```
</CdOrPrtry>  
<Issr>ISO</Issr>  
</Tp>  
<Ref>RF81123453</Ref>  
</CdtrRefInf>  
</Strd>  
</RmtInf>  
</CdtTrfTxInf>  
</PmtInf>  
</CstmrCdtTrfIntrn>  
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Finnish account transfer – multiple occurrences of structured message

```
<?xml version="1.0" encoding="UTF-8"?>
<Document xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance">
<CstmrCdtTrfInItN>
<GrpHdr>
<MsgId>20121105-MSGID1</MsgId>
<CreDtTm>2012-09-17T09:30:47Z</CreDtTm>
<NbOfTxs>1</NbOfTxs>
<InitgPty>
<Nm>InitgPty Name</Nm>
</InitgPty>
</GrpHdr>
<PmtInf>
<PmtInfd>20121105-PMTINF1</PmtInfd>
<PmtMtd>TRF</PmtMtd>
<BtchBookg>true</BtchBookg>
<PmtTplnf>
<SvcLvl>
<Cd>SEPA</Cd>
</SvcLvl>
</PmtTplnf>
<ReqdExctnDt>2012-11-05</ReqdExctnDt>
<Dbtr>
<Nm>Maksaja Oy</Nm>
<Id>
<Orgld>
<Othr>
<Id>12345678</Id>
<Issr>YTJ</Issr>
</Othr>
</Orgld>
</Id>
</Dbtr>
<DbtrAcct>
<Id>
<IBAN>FI9881234567890123</IBAN>
</Id>
<Ccy>EUR</Ccy>
</DbtrAcct>
<DbtrAgt>
<FinInstnld>
<BIC>DABAFIHH</BIC>
</FinInstnld>
</DbtrAgt>
<UltmtDbtr>
<Nm>Ultimate Maksaja Oy</Nm>
</UltmtDbtr>
<ChrgBr>SLEV</ChrgBr>
<CdtTrfTxInf>
<PmtId>
<InstrId>Tapahtuman yksilöintitieto</InstrId>
<EndToEndId>20121105-EndToEnd1</EndToEndId>
</PmtId>
<Amt>
<InstdAmt Ccy="EUR">20.00</InstdAmt>
</Amt>
<CdtrAgt>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<FinInstnId>
  <BIC>DABAFIHH</BIC>
</FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Saaja Oy</Nm>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>FI9881234501234567</IBAN>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>Free format information regarding bundling</Ustrd>
  <Strd>
    <RfrdDocInf>
      <Tp>
        <CdOrPrtry>
          <Cd>CREN</Cd>
        </CdOrPrtry>
      </Tp>
      <Nb>Invoice 12345</Nb>
      <RltdDt>2012-06-11</RltdDt>
    </RfrdDocInf>
    <RfrdDocAmt>
      <CdtNoteAmt Ccy="EUR">5.00</CdtNoteAmt>
    </RfrdDocAmt>
  </Strd>
  <Strd>
    <RfrdDocInf>
      <Tp>
        <CdOrPrtry>
          <Cd>CINV</Cd>
        </CdOrPrtry>
      </Tp>
      <Nb>Invoice 23456</Nb>
      <RltdDt>2012-06-15</RltdDt>
    </RfrdDocInf>
    <RfrdDocAmt>
      <RmtdAmt Ccy="EUR">15.00</RmtdAmt>
    </RfrdDocAmt>
  </Strd>
  <Strd>
    <RfrdDocInf>
      <Tp>
        <CdOrPrtry>
          <Cd>CREN</Cd>
        </CdOrPrtry>
      </Tp>
    </RfrdDocInf>
    <RfrdDocAmt>
      <CdtNoteAmt Ccy="EUR">10.00</CdtNoteAmt>
    </RfrdDocAmt>
  <CdtrRefInf>
    <Tp>
      <CdOrPrtry>
        <Cd>SCOR</Cd>
      </CdOrPrtry>
      <Issr>ISO</Issr>
    </Tp>
  </CdtrRefInf>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    </Tp>
    <Ref>RF23256320</Ref>
  </CdtrRefInf>
</Strd>
<Strd>
  <RfrdDocInf>
    <Tp>
      <CdOrPrtry>
        <Cd>CINV</Cd>
      </CdOrPrtry>
    </Tp>
  </RfrdDocInf>
  <RfrdDocAmt>
    <RmtdAmt Ccy="EUR">20.00</RmtdAmt>
  </RfrdDocAmt>
  <CdtrRefInf>
    <Tp>
      <CdOrPrtry>
        <Cd>SCOR</Cd>
      </CdOrPrtry>
      <Issr>ISO</Issr>
    </Tp>
    <Ref>RF60256333</Ref>
  </CdtrRefInf>
</Strd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Finnish account transfer - money order

```
<?xml version="1.0" encoding="UTF-8"?>
<Document xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance">
  <CstmrCdtTrfInItN>
    <GrpHdr>
      <MsgId>20121105-MSGID2</MsgId>
      <CreDtTm>2012-06-01T09:30:47Z</CreDtTm>
      <NbOfTxs>2</NbOfTxs>
      <InitgPty>
        <Nm>InitgPty Name</Nm>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfId>20121105-PMTINF2</PmtInfId>
      <PmtMtd>TRF</PmtMtd>
      <BtchBookg>true</BtchBookg>
      <ReqdExctnDt>2012-11-05</ReqdExctnDt>
      <Dbtr>
        <Nm>Maksaja Oy</Nm>
        <Id>
          <OrgId>
            <Othr>
              <Id>12345678</Id>
              <Issr>YTJ</Issr>
            </Othr>
          </OrgId>
        </Id>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>FI9881234567890123</IBAN>
        </Id>
        <Ccy>EUR</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAFIHH</BIC>
        </FinInstnId>
      </DbtrAgt>
      <ChrgBr>SLEV</ChrgBr>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>Tapahtuman yksilöintitieto</InstrId>
          <EndToEndId>20121105-EndToEnd2</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="EUR">25.00</InstdAmt>
        </Amt>
        <CdtrAgt>
          <FinInstnId>
            <BIC>DABAFIHH</BIC>
          </FinInstnId>
        </CdtrAgt>
        <Cdtr>
          <Nm>Sami Saaja</Nm>
          <PstAdr>
            <PstCd>00100</PstCd>
          </PstAdr>
        </Cdtr>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfInItN>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    <TwnNm>HELSINKI</TwnNm>
    <Ctry>FI</Ctry>
    <AdrLine>Katu 14 A 6</AdrLine>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>FI7489999999999999</IBAN>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>Vapaa viesti saajalle</Ustrd>
</RmtInf>
</CdtTrfTxInf>
<CdtTrfTxInf>
  <PmtId>
    <InstrId>Tapahtuman yksilöintitieto</InstrId>
    <EndToEndId>20121105-EndToEnd3</EndToEndId>
  </PmtId>
  <Amt>
    <InstdAmt Ccy="EUR">15.00</InstdAmt>
  </Amt>
  <CdtrAgt>
    <FinInstnId>
      <BIC>DABAFIHH</BIC>
    </FinInstnId>
  </CdtrAgt>
  <Cdtr>
    <Nm>Salla Saaja</Nm>
    <PstlAdr>
      <PstCd>33100</PstCd>
      <TwnNm>TAMPERE</TwnNm>
      <Ctry>FI</Ctry>
      <AdrLine>Katu 14 A 6</AdrLine>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <IBAN>FI7489999999999999</IBAN>
    </Id>
  </CdtrAcct>
  <RmtInf>
    <Ustrd>Vapaa viesti saajalle</Ustrd>
  </RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Finnish account transfer - Repetitive payment using Danske Bank Rep. payments register (Cross border)

```
<?xml version="1.0" encoding="utf-8"?>
<Document xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance">
<CstmrCdtTrfInItn>
  <GrpHdr>
    <MsgId>20121105-MSGID10</MsgId>
    <CreDtTm>2012-06-01T09:30:47Z</CreDtTm>
    <NbOfTxs>1</NbOfTxs>
    <InitgPty>
      <Nm>InitgPty Name</Nm>
    </InitgPty>
  </GrpHdr>
  <PmtInf>
    <PmtInfId>20121105-PMTINF10</PmtInfId>
    <PmtMtd>TRF</PmtMtd>
    <BtchBookg>true</BtchBookg>
    <PmtTplnf>
      <SvcLvl>
        <Cd>SEPA</Cd>
      </SvcLvl>
      <CtgyPurp>
        <Cd>SALA</Cd>
      </CtgyPurp>
    </PmtTplnf>
    <ReqdExctnDt>2012-11-05</ReqdExctnDt>
    <Dbtr>
      <Nm>Eläkemaksaja Oy</Nm>
      <Id>
        <OrgId>
          <Othr>
            <Id>12345678</Id>
            <Issr>YTJ</Issr>
          </Othr>
        </OrgId>
      </Id>
    </Dbtr>
    <DbtrAcct>
      <Id>
        <IBAN>FI9881234567890123</IBAN>
      </Id>
      <Ccy>EUR</Ccy>
    </DbtrAcct>
    <DbtrAgt>
      <FinInstnId>
        <BIC>DABAFIHH</BIC>
      </FinInstnId>
    </DbtrAgt>
    <ChrgBr>SLEV</ChrgBr>
    <CdtTrfTxInf>
      <PmtId>
        <InstrId>Tapahtuman yksilöintitieto</InstrId>
        <EndToEndId>20121105-EndToEnd13</EndToEndId>
      </PmtId>
      <Amt>
        <InstdAmt Ccy="EUR">2448.50</InstdAmt>
      </Amt>
    </CdtTrfTxInf>
  </PmtInf>
</CstmrCdtTrfInItn>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<CdtrAgt>
  <FinInstnId>
    <BIC>DABAFIHH</BIC>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Pekka Pension</Nm>
  <PstlAdr>
    <Ctry>AU</Ctry>
    <AdrLine>Harbour Avenue 123</AdrLine>
    <AdrLine>1234 Sydney</AdrLine>
  </PstlAdr>
  <Id>
    <PrvtId>
      <Othr>
        <Id>112233-0000</Id>
        <SchmeNm>
          <Cd>SOSE</Cd>
        </SchmeNm>
      </Othr>
    </PrvtId>
  </Id>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>Flxx811111xxxxxxx</IBAN>
  </Id>
</CdtrAcct>
  <Purp>
    <Cd>PENS</Cd>
  </Purp>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```


Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Finnish express account transfer - unstructured message

```
<?xml version="1.0" encoding="UTF-8"?>
<Document xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance">
  <CstmrCdtTrfInItN>
    <GrpHdr>
      <MsgId>20121105-MSGID8</MsgId>
      <CreDtTm>2012-10-17T09:30:47Z</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Nm>InitgPty Name</Nm>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfd>20121105-PMTINF8</PmtInfd>
      <PmtMtd>TRF</PmtMtd>
      <BtchBookg>true</BtchBookg>
      <PmtTplnf>
        <SvcLvl>
          <Cd>URGP</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-11-05</ReqdExctnDt>
      <Dbtr>
        <Nm>Maksaja Oy</Nm>
        <Id>
          <Orgld>
            <Othr>
              <Id>12345678</Id>
              <Issr>YTJ</Issr>
            </Othr>
          </Orgld>
        </Id>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>FI9881234567890123</IBAN>
        </Id>
        <Ccy>EUR</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnld>
          <BIC>DABAFIHH</BIC>
        </FinInstnld>
      </DbtrAgt>
      <ChrgBr>SLEV</ChrgBr>
      <CdtTrfTxlnf>
        <PmtId>
          <InstrId>Tapahtuman yksilöintitieto</InstrId>
          <EndToEndId>20121105-EndToEnd10</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="EUR">5000.00</InstdAmt>
        </Amt>
        <CdtrAgt>
          <FinInstnld>
            <BIC>OKOYFIHH</BIC>
          </FinInstnld>
        </CdtrAgt>
      </CdtTrfTxlnf>
    </PmtInf>
  </CstmrCdtTrfInItN>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</CdtrAgt>
<Cdtr>
  <Nm>Saaja</Nm>
  <PstlAdr>
    <Ctry>FI</Ctry>
    <AdrLine>Katu 8</AdrLine>
    <AdrLine>00380 HELSINKI</AdrLine>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>FI2512345678901234</IBAN>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>Viesti saajalle</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Finnish express account transfer - reference

```
<?xml version="1.0" encoding="UTF-8"?>
<Document xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd"
xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance">
  <CstmrCdtTrfInftn>
    <GrpHdr>
      <MsgId>20121105-MSGID7</MsgId>
      <CreDtTm>2012-10-17T09:30:47Z</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Nm>InitgPty Name</Nm>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfd>20121105-PMTINF7</PmtInfd>
      <PmtMtd>TRF</PmtMtd>
      <BtchBookg>true</BtchBookg>
      <PmtTplnf>
        <SvcLvl>
          <Cd>URGP</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-11-05</ReqdExctnDt>
      <Dbtr>
        <Nm>Maksaja Oy</Nm>
        <Id>
          <Orgld>
            <Othr>
              <Id>12345678</Id>
              <Issr>YTJ</Issr>
            </Othr>
          </Orgld>
        </Id>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>FI9881234567890123</IBAN>
        </Id>
        <Ccy>EUR</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnld>
          <BIC>DABAFIHH</BIC>
        </FinInstnld>
      </DbtrAgt>
      <ChrgBr>SLEV</ChrgBr>
      <CdtTrfTxlnf>
        <PmtId>
          <InstrId>Tapahtuman yksilöintitieto</InstrId>
          <EndToEndId>20121105-EndToEnd9</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="EUR">5000.00</InstdAmt>
        </Amt>
        <CdtrAgt>
          <FinInstnld>
            <BIC>OKOYFIHH</BIC>
          </FinInstnld>
        </CdtrAgt>
      </CdtTrfTxlnf>
    </PmtInf>
  </CstmrCdtTrfInftn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</CdtrAgt>
<Cdtr>
  <Nm>Saaja</Nm>
  <PstlAdr>
    <Ctry>FI</Ctry>
    <AdrLine>Katu 8</AdrLine>
    <AdrLine>00380 HELSINKI</AdrLine>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>FI2512345678901234</IBAN>
  </Id>
</CdtrAcct>
<RmtInf>
  <Strd>
    <CdtrRefInf>
      <Tp>
        <CdOrPrtry>
          <Cd>SCOR</Cd>
        </CdOrPrtry>
      </Tp>
      <Ref>123453</Ref>
    </CdtrRefInf>
  </Strd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Finnish SEPA Instant account transfer

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInItn>
    <GrpHdr>
      <MsgId>MsgId-1b-a1</MsgId>
      <CreDtTm>2019-10-07T09:30:47+01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Nm>InitgPty Name</Nm>
        <Id>
          <OrgId>
            <Othr>
              <Id>12345678</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>SEPA</Cd>
        </SvcLvl>
        <LclInstrm>
          <Cd>INST</Cd>
        </LclInstrm>
      </PmtTplnf>
      <ReqdExctnDt>2019-10-07</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor name</Nm>
        <PstlAdr>
          <Ctry>FI</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>FI9881234567890123</IBAN>
        </Id>
        <Ccy>EUR</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAFIHH</BIC>
          <PstlAdr>
            <Ctry>FI</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>SEPA Instant trf.</InstrId>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)
Supported payment types and examples

```

    <EndToEndId>EndToEndId-1b-asflk90r</EndToEndId>
  </PmtId>
  <Amt>
    <InstdAmt Ccy="EUR">5.00</InstdAmt>
  </Amt>
  <ChrgBr>SLEV</ChrgBr>
  <CdtrAgt>
    <FinInstnId>
      <BIC>OKOYFIHH</BIC>
    </FinInstnId>
  </CdtrAgt>
  <Cdtr>
    <Nm>Creditor</Nm>
    <PstlAdr>
      <Ctry>FI</Ctry>
      <AdrLine>AdrLine 1</AdrLine>
      <AdrLine>AdrLine 2</AdrLine>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <IBAN>FI2512345678901234</IBAN>
    </Id>
    <Ccy>EUR</Ccy>
  </CdtrAcct>
  <RmtInf>
    <Ustrd>Unstructured remittance information of 140 char
length.....END</Ustrd>
  </RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Finnish SEPA Instant account transfer with Reference

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>011664</MsgId>
      <CreDtTm>2021-06-30T10:30:47</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Nm>InitgPty Name</Nm>
        <Id>
          <OrgId>
            <Othr>
              <Id>12345678</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInflId>PmtInflId</PmtInflId>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>SEPA</Cd>
        </SvcLvl>
        <LclInstrm>
          <Cd>INST</Cd>
        </LclInstrm>
      </PmtTplnf>
      <ReqdExctnDt>2021-06-30</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor name</Nm>
        <PstlAdr>
          <Ctry>FI</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>FI9881234567890123</IBAN>
        </Id>
        <Ccy>EUR</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAFIHH</BIC>
          <PstlAdr>
            <Ctry>FI</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>SEPA Instant Reference</InstrId>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    <EndToEndId>1-011664</EndToEndId>
  </PmtId>
  <Amt>
    <InstdAmt Ccy="EUR">5.00</InstdAmt>
  </Amt>
  <ChrgBr>SLEV</ChrgBr>
  <CdtrAgt>
    <FinInstnId>
      <BIC>OKOYFIHH</BIC>
    </FinInstnId>
  </CdtrAgt>
  <Cdtr>
    <Nm>Creditor</Nm>
    <PstlAdr>
      <Ctry>FI</Ctry>
      <AdrLine>AdrLine 1</AdrLine>
      <AdrLine>AdrLine 2</AdrLine>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <IBAN>FI2512345678901234</IBAN>
    </Id>
    <Ccy>EUR</Ccy>
  </CdtrAcct>
  <RmtInf>
    <Strd>
      <CdtrRefInf>
        <Tp>
          <CdOrPrtry>
            <Cd>SCOR</Cd>
          </CdOrPrtry>
          <Issr>ISO</Issr>
        </Tp>
        <Ref>RF40123456789012345678901</Ref>
      </CdtrRefInf>
    </Strd>
  </RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```


Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Great Britain – sample files

English account transfer - Faster payment

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInitn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTx>1</NbOfTx>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInflId>PmtInflId</PmtInflId>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>GB</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>GB89DABA95012141352105</IBAN>
        </Id>
        <Ccy>GBP</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAGB2L</BIC>
          <PstlAdr>
            <Ctry>GB</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>GB faster payment</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</PmtId>
<Amt>
  <InstdAmt Ccy="GBP">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>BARCGB2102A</BIC>
  <PstlAdr>
    <Ctry>GB</Ctry>
  </PstlAdr>
</FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>GB</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>20337012345678</Id>
      <SchmeNm>
        <Cd>BBAN</Cd>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<Purp>
  <Prtry>18 char benef. ref</Prtry>
</Purp>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

English account transfer - CHAPS payment

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>URGP</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>GB</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>GB89DABA95012141352105</IBAN>
        </Id>
        <Ccy>GBP</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAGB2L</BIC>
          <PstlAdr>
            <Ctry>GB</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>GB transfer [urgent]</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="GBP">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>BARCGB2102A</BIC>
    <PstlAdr>
      <Ctry>GB</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>GB</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>20337012345678</Id>
      <SchmeNm>
        <Cd>BBAN</Cd>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>Unstructured remittance information of 140 char
length.....END</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntr>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

English account transfer - Internal payment

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInltN>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInflId>PmtInflId</PmtInflId>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
        <CtgyPurp>
          <Cd>INTC</Cd>
        </CtgyPurp>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>GB</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>GB89DABA95012141352105</IBAN>
        </Id>
        <Ccy>GBP</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAGB2L</BIC>
          <PstlAdr>
            <Ctry>GB</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
          <InstrId>GB trf. [internal]</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
      </CdtTrfTxlnf>
    </PmtInf>
  </CstmrCdtTrfInltN>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</PmtId>
<Amt>
  <InstdAmt Ccy="GBP">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABAGB2L</BIC>
    <PstlAdr>
      <Ctry>GB</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>GB</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>95012112345678</Id>
      <SchmeNm>
        <Cd>BBAN</Cd>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<Purp>
  <Prtry>18 char benef. ref</Prtry>
</Purp>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

English account transfer - Indirect BACS

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInitn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>GB</Ctry>
        </PstlAdr>
        <Id>
          <OrgId>
            <Othr>
              <Id>999999</Id>
            </Othr>
          </OrgId>
        </Id>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>GB72DABA30128193018476</IBAN>
        </Id>
        <Ccy>GBP</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAGB2L</BIC>
          <PstlAdr>
            <Ctry>GB</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
    </PmtInf>
  </CstmrCdtTrfInitn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<CdtTrfTxInf>
  <PmtId>
    <InstrId>GB trf. (BACS)</InstrId>
    <EndToEndId>EndToEndId</EndToEndId>
  </PmtId>
  <Amt>
    <InstdAmt Ccy="GBP">1.00</InstdAmt>
  </Amt>
  <CdtrAgt>
    <FinInstnId>
      <BIC>DABAGB2L</BIC>
      <PstlAdr>
        <Ctry>GB</Ctry>
      </PstlAdr>
    </FinInstnId>
  </CdtrAgt>
  <Cdtr>
    <Nm>Creditor</Nm>
    <PstlAdr>
      <Ctry>GB</Ctry>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <Othr>
        <Id>95012112345678</Id>
        <SchmeNm>
          <Cd>BBAN</Cd>
        </SchmeNm>
      </Othr>
    </Id>
  </CdtrAcct>
  <Purp>
    <Prtry>18 char benef. ref</Prtry>
  </Purp>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```


Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Ireland - sample files

Irish account transfer - External payment

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInitn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTx>1</NbOfTx>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInflId>PmtInflId</PmtInflId>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-25</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>IE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>IE07DABA12345612345678</IBAN>
        </Id>
        <Ccy>EUR</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAIE2D</BIC>
          <PstlAdr>
            <Ctry>IE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>IE trf. (external)</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfInitn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)
Supported payment types and examples

```

</PmtId>
<Amt>
  <InstdAmt Ccy="EUR">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>AIBKIE2D</BIC>
    <PstlAdr>
      <Ctry>IE</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>IE</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>12345612345678</Id>
      <SchmeNm>
        <Cd>BBAN</Cd>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>Unstructured remittance information of 140 char
length.....END</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntr>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Irish account transfer - Same day domestic payment

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>URGP</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-25</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>IE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>IE07DABA12345612345678</IBAN>
        </Id>
        <Ccy>EUR</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAIE2D</BIC>
          <PstlAdr>
            <Ctry>IE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>IE trf. (urgent)</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="EUR">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<CdtrAgt>
  <FinInstnId>
    <BIC>AIBKIE2D</BIC>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>IE</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>12345612345678</Id>
      <SchmeNm>
        <Cd>BBAN</Cd>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>Unstructured remittance information of 140 char
length.....END</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Irish account transfer - Internal payment

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
        <CtgyPurp>
          <Cd>INTC</Cd>
        </CtgyPurp>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-25</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>IE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <Othr>
            <Id>IE07DABA12345612345678</Id>
          </Othr>
        </Id>
        <Ccy>EUR</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAIE2D</BIC>
          <PstlAdr>
            <Ctry>IE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    <InstrId>IE trf. [internal]</InstrId>
    <EndToEndId>EndToEndId</EndToEndId>
  </PmtId>
  <Amt>
    <InstdAmt Ccy="EUR">1.00</InstdAmt>
  </Amt>
  <CdtrAgt>
    <FinInstnId>
      <BIC>DABAIE2D</BIC>
    </FinInstnId>
  </CdtrAgt>
  <Cdtr>
    <Nm>Creditor</Nm>
    <PstlAdr>
      <Ctry>IE</Ctry>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <IBAN>IE82DABA12345612345678</IBAN>
    </Id>
  </CdtrAcct>
  <RmtInf>
    <Ustrd>Unstructured remittance information of 140 char
length.....END</Ustrd>
  </RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Poland - sample files

Polish account transfer - with details (PLKNR on CdtrAgt)

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInitn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInflId>PmtInflId</PmtInflId>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-20</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>PL</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>PL01234567890123456789012345</IBAN>
        </Id>
        <Ccy>PLN</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAPLPW</BIC>
          <PstlAdr>
            <Ctry>PL</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>PL acc. trf. with text (regular)</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfInitn>
</Document>
```



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</PmtId>
<Amt>
  <InstdAmt Ccy="PLN">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <ClrSysMmbld>
      <ClrSysId>
        <Cd>PLKNR</Cd>
      </ClrSysId>
      <Mmbld>12345678</Mmbld>
    </ClrSysMmbld>
    <PstlAdr>
      <Ctry>PL</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>PL</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>PL12345678901234567890123456</IBAN>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>This holds a 140 char Unstructured advice.....The 140 char advice
ends here</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```


Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Polish account transfer - with details (BIC on CdtrAgt)

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2016-11-04T09:30:47+01:00</CreDtTm>
      <NbOfTx>1</NbOfTx>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfd>PmtInfd</PmtInfd>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-20</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>PL</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>PL01234567890123456789012345</IBAN>
        </Id>
        <Ccy>PLN</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAPLW</BIC>
          <PstlAdr>
            <Ctry>PL</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>PL acc. trf. without text [regular]</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    <InstdAmt Ccy="PLN">1.00</InstdAmt>
  </Amt>
  <CdtrAgt>
    <FinInstnId>
      <BIC>DABAPLPW</BIC>
    </FinInstnId>
  </CdtrAgt>
  <Cdtr>
    <Nm>Creditor</Nm>
    <PstlAdr>
      <Ctry>PL</Ctry>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <IBAN>PL12345678901234567890123456</IBAN>
    </Id>
  </CdtrAcct>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntr>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Polish account transfer - without details

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInftn>
    <GrpHdr>
      <MsgId>Msgld</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTx>1</NbOfTx>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-20</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>PL</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>PL01234567890123456789012345</IBAN>
        </Id>
        <Ccy>PLN</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAPLW</BIC>
          <PstlAdr>
            <Ctry>PL</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInft>
        <PmtId>
          <InstrId>PL acc. trf. without text [regular]</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
      <Amt>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<InstdAmt Ccy="PLN">1.00</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <ClrSysMmbld>
      <ClrSysId>
        <Cd>PLKNR</Cd>
      </ClrSysId>
      <Mmbld>12345678</Mmbld>
    </ClrSysMmbld>
    <PstlAdr>
      <Ctry>PL</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>PL</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>PL12345678901234567890123456</IBAN>
  </Id>
</CdtrAcct>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Polish account transfer - US tax

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
        <CtgyPurp>
          <Cd>TAXS</Cd>
        </CtgyPurp>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-20</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>PL</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>PL01234567890123456789012345</IBAN>
        </Id>
        <Ccy>PLN</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAPLPW</BIC>
          <PstlAdr>
            <Ctry>PL</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <UltmtDbtr>
        <Nm>Ultimate Debtor</Nm>
        <PstlAdr>
          <AdrLine>AdrLine1</AdrLine>
        </PstlAdr>
      </UltmtDbtr>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    <AdrLine>AdrLine1</AdrLine>
  </PstlAdr>
</UltmtDbtr>
<CdtTrfTxInf>
  <PmtId>
    <InstrId>PL acc. trf. TAX</InstrId>
    <EndToEndId>EndToEndId</EndToEndId>
  </PmtId>
  <Amt>
    <InstdAmt Ccy="PLN">1.00</InstdAmt>
  </Amt>
  <CdtrAgt>
    <FinInstnId>
      <ClrSysMmbld>
        <ClrSysId>
          <Cd>PLKNR</Cd>
        </ClrSysId>
        <Mmbld>12345678</Mmbld>
      </ClrSysMmbld>
      <PstlAdr>
        <Ctry>PL</Ctry>
      </PstlAdr>
    </FinInstnId>
  </CdtrAgt>
  <Cdtr>
    <Nm>Creditor</Nm>
    <PstlAdr>
      <Ctry>PL</Ctry>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <Othr>
        <Id>01234567890123456789012345</Id>
        <SchmeNm>
          <Cd>BBAN</Cd>
        </SchmeNm>
      </Othr>
    </Id>
  </CdtrAcct>
  <RmtInf>
    <Ustrd>/TI/N5471027863</Ustrd>
    <Ustrd>/OKR/03D0312</Ustrd>
    <Ustrd>/SFP/PIT-5</Ustrd>
    <Ustrd>/TXT/FREETEXT</Ustrd>
  </RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfInitn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Polish express account transfer - with details

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>URGP</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-20</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>PL</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>PL01234567890123456789012345</IBAN>
        </Id>
        <Ccy>PLN</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAPLW</BIC>
          <PstlAdr>
            <Ctry>PL</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>PL acc. trf. with text (urgent)</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="PLN">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<CdtrAgt>
  <FinInstnId>
    <ClrSysMmbld>
      <ClrSysId>
        <Cd>PLKNR</Cd>
      </ClrSysId>
      <Mmbld>12345678</Mmbld>
    </ClrSysMmbld>
    <PstlAdr>
      <Ctry>PL</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>PL</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>PL12345678901234567890123456</IBAN>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>This holds a 140 char Unstructured advice.....The 140 char advice
ends here</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```


Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Polish express account transfer - without details

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>URGP</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-20</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>PL</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>PL01234567890123456789012345</IBAN>
        </Id>
        <Ccy>PLN</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAPLW</BIC>
          <PstlAdr>
            <Ctry>PL</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>PL acc. trf. without text [urgent]</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="PLN">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<CdtrAgt>
  <FinInstnId>
    <ClrSysMmbld>
      <ClrSysId>
        <Cd>PLKNR</Cd>
      </ClrSysId>
      <Mmbld>12345678</Mmbld>
    </ClrSysMmbld>
    <PstlAdr>
      <Ctry>PL</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>PL</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>PL12345678901234567890123456</IBAN>
  </Id>
</CdtrAcct>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Polish account transfer – Split

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
<CstmrCdtTrfInitn>
  <GrpHdr>
    <MsgId>10043572405201801</MsgId>
    <CreDtTm>2018-02-22T08:32:31</CreDtTm>
    <NbOfTxs>1</NbOfTxs>
    <InitgPty>
      <Id>
        <OrgId>
          <Othr>
            <Id>Initiating Party Id</Id>
            <SchmeNm>
              <Cd>BANK</Cd>
            </SchmeNm>
          </Othr>
        </OrgId>
      </Id>
    </InitgPty>
  </GrpHdr>
  <PmtInf>
    <PmtInfd>10043577271231</PmtInfd>
    <PmtMtd>TRF</PmtMtd>
    <PmtTplnf>
      <SvcLvl>
        <Cd>NURG</Cd>
      </SvcLvl>
      <CtgyPurp>
        <Prtry>SPLT</Prtry>
      </CtgyPurp>
    </PmtTplnf>
    <ReqdExctnDt>2018-05-24</ReqdExctnDt>
    <Dbtr>
      <Nm>NameofParty</Nm>
      <PstlAdr>
        <Ctry>PL</Ctry>
      </PstlAdr>
    </Dbtr>
    <DbtrAcct>
      <Id>
        <IBAN>PL12345678900000001234567890</IBAN>
      </Id>
      <Ccy>PLN</Ccy>
    </DbtrAcct>
    <DbtrAgt>
      <FinInstnId>
        <BIC>DABAPLW</BIC>
        <PstlAdr>
          <Ctry>PL</Ctry>
        </PstlAdr>
      </FinInstnId>
    </DbtrAgt>
    <CdtTrfTxInf>
      <PmtId>
        <InstrId>01-PL100083005363</InstrId>
        <EndToEndId>PL2405201801TEST</EndToEndId>
      </PmtId>
    </CdtTrfTxInf>
  </PmtInf>
</CstmrCdtTrfInitn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</PmtId>
<Amt>
  <InstdAmt Ccy="PLN">3.62</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <ClrSysMmbld>
      <ClrSysId>
        <Cd>PLKNR</Cd>
      </ClrSysId>
      <Mmbld>11402004</Mmbld>
    </ClrSysMmbld>
    <PstlAdr>
      <Ctry>PL</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>NameofCustomer</Nm>
  <PstlAdr>
    <Ctry>PL</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>PL12345678900000009876543210</IBAN>
  </Id>
  <Nm>Name</Nm>
</CdtrAcct>
<RmtInf>
  <Ustrd>/VAT/1,32/IDC/87568757578/INV/98589/TXT/986986986</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfInitt>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Polish express account transfer – Split

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
<CstmrCdtTrfInitn>
  <GrpHdr>
    <MsgId>10043572405201801</MsgId>
    <CreDtTm>2018-02-22T08:32:31</CreDtTm>
    <NbOfTxs>1</NbOfTxs>
    <InitgPty>
      <Id>
        <OrgId>
          <Othr>
            <Id>Initiating Party Id</Id>
            <SchmeNm>
              <Cd>BANK</Cd>
            </SchmeNm>
          </Othr>
        </OrgId>
      </Id>
    </InitgPty>
  </GrpHdr>
  <PmtInf>
    <PmtInfd>10043577271231</PmtInfd>
    <PmtMtd>TRF</PmtMtd>
    <PmtTplnf>
      <SvcLvl>
        <Cd>URGP</Cd>
      </SvcLvl>
      <CtgyPurp>
        <Prtry>SPLT</Prtry>
      </CtgyPurp>
    </PmtTplnf>
    <ReqdExctnDt>2018-05-24</ReqdExctnDt>
    <Dbtr>
      <Nm>NameofParty</Nm>
      <PstlAdr>
        <Ctry>PL</Ctry>
      </PstlAdr>
    </Dbtr>
    <DbtrAcct>
      <Id>
        <IBAN>PL12345678900000001234567890</IBAN>
      </Id>
      <Ccy>PLN</Ccy>
    </DbtrAcct>
    <DbtrAgt>
      <FinInstnId>
        <BIC>DABAPLW</BIC>
        <PstlAdr>
          <Ctry>PL</Ctry>
        </PstlAdr>
      </FinInstnId>
    </DbtrAgt>
    <CdtTrfTxInf>
      <PmtId>
        <InstrId>01-PL100083005363</InstrId>
        <EndToEndId>PL2405201801TEST</EndToEndId>
      </PmtId>
    </CdtTrfTxInf>
  </PmtInf>
</CstmrCdtTrfInitn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</PmtId>
<Amt>
  <InstdAmt Ccy="PLN">3.62</InstdAmt>
</Amt>
<CdtrAgt>
  <FinInstnId>
    <ClrSysMmbld>
      <ClrSysId>
        <Cd>PLKNR</Cd>
      </ClrSysId>
      <Mmbld>11402004</Mmbld>
    </ClrSysMmbld>
    <PstlAdr>
      <Ctry>PL</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>NameofCustomer</Nm>
  <PstlAdr>
    <Ctry>PL</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>PL12345678900000009876543210</IBAN>
  </Id>
  <Nm>Name</Nm>
</CdtrAcct>
<RmtInf>
  <Ustrd>/VAT/1,32/IDC/87568757578/INV/98589/TXT/986986986</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfInitt>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Foreign payment types – sample files

Foreign cheque - to be sent to account holder

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInitn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInflId>PmtInflId</PmtInflId>
      <PmtMtd>CHK</PmtMtd>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>Crossed cross border cheque</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="EUR">1.00</InstdAmt>
        </Amt>
        <ChrgBr>CRED</ChrgBr>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfInitn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

<ChqInstr>
  <ChqTp>BCHQ</ChqTp>
  <DlvryMtd>
    <Cd>MLDB</Cd>
  </DlvryMtd>
  <FrmsCd>CROSSED</FrmsCd>
</ChqInstr>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DE</Ctry>
    <AdrLine>AdrLine1</AdrLine>
    <AdrLine>AdrLine2</AdrLine>
  </PstlAdr>
</Cdtr>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntr>
</Document>

```




Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Foreign cheque - to be sent to beneficiary

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTxes>1</NbOfTxes>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>CHK</PmtMtd>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>Cross border chq - sent to creditor</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="EUR">1.00</InstdAmt>
        </Amt>
        <ChrgBr>CRED</ChrgBr>
        <ChqInstr>
          <ChqTp>BCHQ</ChqTp>
          <DlvryMtd>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```
<Cd>MLCD</Cd>
</DlvryMtd>
</ChqInstr>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DE</Ctry>
    <AdrLine>AdrLine1</AdrLine>
    <AdrLine>AdrLine2</AdrLine>
  </PstlAdr>
</Cdtr>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntr>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Transfer from account abroad - transfer to own account

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
        <CtgyPurp>
          <Cd>INTC</Cd>
        </CtgyPurp>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-25</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DE89370400440532013087</IBAN>
        </Id>
        <Ccy>EUR</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>COBADEFF</BIC>
          <PstlAdr>
            <Ctry>DE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
          <InstrId>MTA Domestic group transfer</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
      </CdtTrfTxlnf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)
Supported payment types and examples

```

</PmtId>
<Amt>
  <InstdAmt Ccy="USD">1.00</InstdAmt>
</Amt>
<ChrgBr>CRED</ChrgBr>
<CdtrAgt>
  <FinInstnId>
    <BIC>COBADEFF</BIC>
    <PstlAdr>
      <Ctry>DE</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DE</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>DE89370400440532013088</IBAN>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>Unstructured remittance information of 140 char
length.....END</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Transfer from account abroad - regular transfer

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTx>1</NbOfTx>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfd>PmtInfd</PmtInfd>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-25</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DE89370400440532013087</IBAN>
        </Id>
        <Ccy>EUR</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>COBADEFF</BIC>
          <PstlAdr>
            <Ctry>DE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>MTA Domestic acc. trf. [regular]</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="USD">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<ChrgBr>CRED</ChrgBr>
<CdtrAgt>
  <FinInstnId>
    <BIC>COBADEFF</BIC>
    <PstlAdr>
      <Ctry>DE</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DE</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>DE89370400440532013088</IBAN>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>Unstructured remittance information of 140 char
length.....END</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Transfer from account abroad - urgent transfer

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>URGP</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-25</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor Name</Nm>
        <PstlAdr>
          <Ctry>DE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DE89370400440532013087</IBAN>
        </Id>
        <Ccy>EUR</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>COBADEFF</BIC>
          <PstlAdr>
            <Ctry>DE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>MTA Domestic acc. trf. [urgent]</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="USD">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```




Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<ChrgBr>CRED</ChrgBr>
<CdtrAgt>
  <FinInstnId>
    <BIC>COBADEFF</BIC>
    <PstlAdr>
      <Ctry>DE</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DE</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>DE89370400440532013088</IBAN>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>Unstructured remittance information of 140 char
length.....END</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Transfer from account abroad - domestic salary transfer

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInitn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
        <CtgyPurp>
          <Cd>SALA</Cd>
        </CtgyPurp>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-25</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DE89370400440532013087</IBAN>
        </Id>
        <Ccy>EUR</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>COBADEFF</BIC>
          <PstlAdr>
            <Ctry>DE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
          <InstrId>MTA Domestic salary transfer</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
      </CdtTrfTxlnf>
    </PmtInf>
  </CstmrCdtTrfInitn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</PmtId>
<Amt>
  <InstdAmt Ccy="USD">1.00</InstdAmt>
</Amt>
<ChrgBr>CRED</ChrgBr>
<CdtrAgt>
  <FinInstnId>
    <BIC>COBADEFF</BIC>
    <PstlAdr>
      <Ctry>DE</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DE</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>DE89370400440532013088</IBAN>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>Unstructured remittance information of 140 char
length.....END</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Transfer from account abroad - domestic cheque

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInItn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>CHK</PmtMtd>
      <ReqdExctnDt>2012-06-25</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DE89370400440532013087</IBAN>
        </Id>
        <Ccy>EUR</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>COBADEFF</BIC>
          <PstlAdr>
            <Ctry>DE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>MTA Domestic cheque</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="EUR">1.00</InstdAmt>
        </Amt>
        <ChrgBr>CRED</ChrgBr>
        <ChqInstr>
          <ChqTp>BCHQ</ChqTp>
          <DlvryMtd>
```



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    <Cd>MLCD</Cd>
  </DlvryMtd>
</ChqInstr>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DE</Ctry>
    <AdrLine>AdrLine1</AdrLine>
    <AdrLine>AdrLine2</AdrLine>
  </PstlAdr>
</Cdtr>
<RmtInf>
  <Ustrd>Unstructured remittance information of 140 char
length.....END</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntr>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Transfer from account abroad - foreign cheque

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntr>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>CHK</PmtMtd>
      <ReqdExctnDt>2012-06-25</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DE89370400440532013087</IBAN>
        </Id>
        <Ccy>EUR</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>COBADEFF</BIC>
          <PstlAdr>
            <Ctry>DE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>MTA Cross border cheque</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="USD">1.00</InstdAmt>
        </Amt>
        <ChrgBr>CRED</ChrgBr>
        <ChqInstr>
          <ChqTp>BCHQ</ChqTp>
        </ChqInstr>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfIntr>
</Document>
```



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    <Cd>MLCD</Cd>
  </DlvryMtd>
</ChqInstr>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
    <AdrLine>AdrLine1</AdrLine>
    <AdrLine>AdrLine2</AdrLine>
  </PstlAdr>
</Cdtr>
<RmtInf>
  <Ustrd>Unstructured remittance information of 140 char
length.....END</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntr>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Foreign account transfer - ordinary transfer

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>308866</MsgId>
      <CreDtTm>2021-06-30T09:30:47</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2021-06-30</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor Name</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>Ordinary cross border transfer</InstrId>
          <EndToEndId>1-308866</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="SEK">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```


Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<ChrgBr>SHAR</ChrgBr>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABASESX</BIC>
    <PstlAdr>
      <Ctry>SE</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>SE</Ctry>
    <AdrLine>AdrLine 1</AdrLine>
    <AdrLine>AdrLine 2</AdrLine>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>SE1234567890123456789012</IBAN>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>Unstructured remittance information of 140 char
length.....END</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Foreign account transfer - ordinary transfer with ClrSysMblId

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>308866</MsgId>
      <CreDtTm>2021-06-30T09:30:47</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInflId>PmtInflId</PmtInflId>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2021-06-30</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor Name</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>Ordinary cross border transfer</InstrId>
          <EndToEndId>1-308866</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="USD">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<ChrgBr>SHAR</ChrgBr>
<CdtrAgt>
  <FinInstnId>
    <BIC>BOFAUS3N</BIC>
    <ClrSysMmbld>
      <ClrSysId>
        <Cd>USPID</Cd>
      </ClrSysId>
      <Mmbld>1234</Mmbld>
    </ClrSysMmbld>
    <PstlAdr>
      <Ctry>US</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>US</Ctry>
    <AdrLine>AdrLine 1</AdrLine>
    <AdrLine>AdrLine 2</AdrLine>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <Othr>
      <Id>123654789654123</Id>
      <SchmeNm>
        <Cd>BBAN</Cd>
      </SchmeNm>
    </Othr>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>Unstructured remittance information of 140 char
length.....END</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntr>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Foreign account transfer - SEPA transfer

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId-1b-ælf8uy12h3</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTx>1</NbOfTx>
      <InitgPty>
        <Nm>InitgPty Name</Nm>
        <Id>
          <OrgId>
            <Othr>
              <Id>12345678</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>SEPA</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-12-17</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor name</Nm>
        <PstlAdr>
          <Ctry>FI</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>FI9881234567890123</IBAN>
        </Id>
        <Ccy>EUR</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAFIHH</BIC>
          <PstlAdr>
            <Ctry>FI</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInfr>
        <PmtId>
          <InstrId>SEPA cross border trf.</InstrId>
          <EndToEndId>EndToEndId-1b-asflk83r</EndToEndId>
        </PmtId>
        <Amt>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    <InstdAmt Ccy="EUR">1.00</InstdAmt>
  </Amt>
  <ChrgBr>SLEV</ChrgBr>
  <CdtrAgt>
    <FinInstnId>
      <BIC>COBADEFF</BIC>
      <Nm>Commerzbank AG</Nm>
      <PstlAdr>
        <Ctry>DE</Ctry>
      </PstlAdr>
    </FinInstnId>
  </CdtrAgt>
  <Cdtr>
    <Nm>Creditor</Nm>
    <PstlAdr>
      <Ctry>DE</Ctry>
      <AdrLine>AdrLine 1</AdrLine>
      <AdrLine>AdrLine 2</AdrLine>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <IBAN>DE89370400440532013087</IBAN>
    </Id>
    <Ccy>EUR</Ccy>
  </CdtrAcct>
  <UltmtCdtr>
    <Nm>Ultimate creditor</Nm>
    <PstlAdr>
      <Ctry>DE</Ctry>
      <AdrLine>AdrLine 1</AdrLine>
      <AdrLine>AdrLine 2</AdrLine>
    </PstlAdr>
  </UltmtCdtr>
  <RmtInf>
    <Ustrd>Unstructured remittance information of 140 char
length.....END</Ustrd>
  </RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Foreign account transfer - SEPA Instant transfer

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInittn>
    <GrpHdr>
      <MsgId>MsgId-1b-ælf8uy12h3</MsgId>
      <CreDtTm>2021-06-30T09:30:47+01:00</CreDtTm>
      <NbOfTx>1</NbOfTx>
      <InitgPty>
        <Nm>InitgPty Name</Nm>
        <Id>
          <OrgId>
            <Othr>
              <Id>12345678</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>SEPA</Cd>
        </SvcLvl>
        <LclInstrm>
          <Cd>INST</Cd>
        </LclInstrm>
      </PmtTplnf>
      <ReqdExctnDt>2021-06-30</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor name</Nm>
        <PstlAdr>
          <Ctry>FI</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>FI9881234567890123</IBAN>
        </Id>
        <Ccy>EUR</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAFIHH</BIC>
          <PstlAdr>
            <Ctry>FI</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>SEPA Instant foreign trf.</InstrId>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    <EndToEndId>EndToEndId-1b-asflk83r</EndToEndId>
  </PmtId>
  <Amt>
    <InstdAmt Ccy="EUR">1.00</InstdAmt>
  </Amt>
  <ChrgBr>SLEV</ChrgBr>
  <CdtrAgt>
    <FinInstnId>
      <BIC>COBADEFF</BIC>
      <Nm>Commerzbank AG</Nm>
      <PstlAdr>
        <Ctry>DE</Ctry>
      </PstlAdr>
    </FinInstnId>
  </CdtrAgt>
  <Cdtr>
    <Nm>Creditor</Nm>
    <PstlAdr>
      <Ctry>DE</Ctry>
      <AdrLine>AdrLine 1</AdrLine>
      <AdrLine>AdrLine 2</AdrLine>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <IBAN>DE89370400440532013087</IBAN>
    </Id>
    <Ccy>EUR</Ccy>
  </CdtrAcct>
  <UltmtCdtr>
    <Nm>Ultimate creditor</Nm>
    <PstlAdr>
      <Ctry>DE</Ctry>
      <AdrLine>AdrLine 1</AdrLine>
      <AdrLine>AdrLine 2</AdrLine>
    </PstlAdr>
  </UltmtCdtr>
  <RmtInf>
    <Ustrd>Unstructured remittance information of 140 char
length.....END</Ustrd>
  </RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Foreign account transfer - express transfer

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInflId>PmtInflId</PmtInflId>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>URGP</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor Name</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>Express cross border transfer</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="DKK">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```




Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<ChrgBr>SHAR</ChrgBr>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABASESX</BIC>
    <PstlAdr>
      <Ctry>SE</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>SE</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>SE1234567890123456789012</IBAN>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>Unstructured remittance information of 140 char
length.....END</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Foreign account transfer - group transfer

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfInItn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>NURG</Cd>
        </SvcLvl>
        <CtgyPurp>
          <Cd>INTC</Cd>
        </CtgyPurp>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
          <InstrId>Cross border group transfer</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
      </CdtTrfTxlnf>
    </PmtInf>
  </CstmrCdtTrfInItn>
</Document>
```



Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)
Supported payment types and examples

```

</PmtId>
<Amt>
  <InstdAmt Ccy="DKK">1.00</InstdAmt>
</Amt>
<ChrgBr>SHAR</ChrgBr>
<CdtrAgt>
  <FinInstnId>
    <BIC>DABASESX</BIC>
    <PstlAdr>
      <Ctry>SE</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>SE</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>SE1234567890123456789012</IBAN>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>Unstructured remittance information of 140 char
length.....END</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Foreign account transfer - Nationalbank transfer (only Denmark)

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInflId>PmtInflId</PmtInflId>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>URGP</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>Danish National Bank transfer</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="DKK">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<ChrgBr>SHAR</ChrgBr>
<CdtrAgt>
  <FinInstnId>
    <BIC>NDEADKKB</BIC>
    <PstlAdr>
      <Ctry>DK</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>DK</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>DK1234567890123456</IBAN>
  </Id>
</CdtrAcct>
<InstrForDbtrAgt>NATIONALBANK OVERFØRSEL</InstrForDbtrAgt>
<RmtInf>
  <Ustrd>Unstructured remittance information</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Foreign account transfer - Riksbank transfer (only Sweden)

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTx>1</NbOfTx>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>URGP</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>SE</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>SE3312000000012200115199</IBAN>
        </Id>
        <Ccy>SEK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABASESX</BIC>
          <PstlAdr>
            <Ctry>SE</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>Swedish Riksbank transfer</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="SEK">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<ChrgBr>SHAR</ChrgBr>
<CdtrAgt>
  <FinInstnId>
    <BIC>ESSESESS</BIC>
    <PstlAdr>
      <Ctry>SE</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>Creditor</Nm>
  <PstlAdr>
    <Ctry>SE</Ctry>
  </PstlAdr>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN>SE1234567890123456789012</IBAN>
  </Id>
</CdtrAcct>
<InstrForDbtrAgt>RIKSBANK BETALING</InstrForDbtrAgt>
<RmtInf>
  <Ustrd>Unstructured remittance information</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Foreign account transfer - capital payment (only Finland)

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>20121105-MSGID2</MsgId>
      <CreDtTm>2012-06-01T09:30:47Z</CreDtTm>
      <NbOfTxs>2</NbOfTxs>
      <InitgPty>
        <Nm>InitgPty Name</Nm>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfId>20121105-PMTINF2</PmtInfId>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <SvcLvl>
          <Cd>SDVA</Cd>
        </SvcLvl>
      </PmtTplnf>
      <ReqdExctnDt>2012-11-05</ReqdExctnDt>
      <Dbtr>
        <Nm>Maksaja Oy</Nm>
        <Id>
          <OrgId>
            <Othr>
              <Id>12345678</Id>
              <Issr>YTJ</Issr>
            </Othr>
          </OrgId>
        </Id>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>FI9881234567890123</IBAN>
        </Id>
        <Ccy>EUR</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABAFIHH</BIC>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxlnf>
        <PmtId>
          <InstrId>Finnish capital payment</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="EUR">1.00</InstdAmt>
        </Amt>
        <ChrgBr>SHAR</ChrgBr>
        <CdtrAgt>
          <FinInstnId>
            <BIC>DABAFIHH</BIC>
          </FinInstnId>
          <PstlAdr>
```




Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

    <Ctry>FI</Ctry>
    </PstlAdr>
    </FinInstnId>
    </CdtrAgt>
    <Cdtr>
    <Nm>Creditor</Nm>
    <PstlAdr>
    <Ctry>FI</Ctry>
    </PstlAdr>
    </Cdtr>
    <CdtrAcct>
    <Id>
    <IBAN>FI6934499400001701</IBAN>
    </Id>
    </CdtrAcct>
    <RmtInf>
    <Ustrd>Unstructured remittance information of 140 char
length.....END</Ustrd>
    </RmtInf>
    </CdtTrfTxInf>
    </PmtInf>
    </CstmrCdtTrfIntrn>
</Document>

```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

Foreign account transfer - financial payment

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03 pain.001.001.03.xsd">
  <CstmrCdtTrfIntrn>
    <GrpHdr>
      <MsgId>MsgId</MsgId>
      <CreDtTm>2012-03-01T09:30:47+01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <InitgPty>
        <Id>
          <OrgId>
            <Othr>
              <Id>Initiating Party Id</Id>
              <SchmeNm>
                <Cd>BANK</Cd>
              </SchmeNm>
            </Othr>
          </OrgId>
        </Id>
      </InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfl>PmtInfl</PmtInfl>
      <PmtMtd>TRF</PmtMtd>
      <PmtTplnf>
        <CtgyPurp>
          <Cd>CORT</Cd>
        </CtgyPurp>
      </PmtTplnf>
      <ReqdExctnDt>2012-06-19</ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor</Nm>
        <PstlAdr>
          <Ctry>DK</Ctry>
        </PstlAdr>
      </Dbtr>
      <DbtrAcct>
        <Id>
          <IBAN>DK0630003258186230</IBAN>
        </Id>
        <Ccy>DKK</Ccy>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>DABADKKK</BIC>
          <PstlAdr>
            <Ctry>DK</Ctry>
          </PstlAdr>
        </FinInstnId>
      </DbtrAgt>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>Financial payment</InstrId>
          <EndToEndId>EndToEndId</EndToEndId>
        </PmtId>
        <Amt>
          <InstdAmt Ccy="SEK">1.00</InstdAmt>
        </Amt>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfIntrn>
</Document>
```

Danske Bank Message Implementation Guide

Common Global Implementation Market Practice (CGI-MP)

Supported payment types and examples

```

</Amt>
<ChrgBr>SHAR</ChrgBr>
<IntrmyAgt1>
  <FinInstnId>
    <BIC>NDEASESS</BIC>
    <Nm>Nordea Bank AB Stockholm</Nm>
    <PstlAdr>
      <Ctry>SE</Ctry>
    </PstlAdr>
  </FinInstnId>
</IntrmyAgt1>
<CdtrAgt>
  <FinInstnId>
    <BIC>NDEAFIHH</BIC>
    <Nm>Nordea Bank Finland Plc, Helsinki</Nm>
    <PstlAdr>
      <Ctry>FI</Ctry>
    </PstlAdr>
  </FinInstnId>
</CdtrAgt>
<CdtrAgtAcct>
  <Id>
    <IBAN>SE1234567890123456789012</IBAN>
  </Id>
</CdtrAgtAcct>
<Cdtr>
  <Nm>Nordea Bank Finland Plc, Helsinki</Nm>
  <PstlAdr>
    <Ctry>FI</Ctry>
  </PstlAdr>
</Cdtr>
<RmtInf>
  <Ustrd>Unstructured remittance information</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</CstmrCdtTrfIntrn>
</Document>

```