

LIST OF CONTENTS

<u>1. INTRODUCTION</u>	<u>3</u>
2. HOW TO READ THIS DOCUMENT	<u>3</u>
2 WHAT ICAN EVENDED MEGAGO	
3. WHAT IS AN EXTENDED MT940?	<u>4</u>
3.1 WHAT WILL COMPANIES GET?	4
3.2 How does it look?	
4. WHICH LIMITATIONS DO YOU MEET?	<u>7</u>
4.1 Two ways on summing my of Dayson	-
4.1 THE KIND OF ENTRIES THAT DANSKE BANK SUPPORT	
4.2 THE SCOPE OF THE MT940-FORMAT	
4.5 DO ALTERNATIVES TO THE EXTENDED WIT940 EXIST:	
5. REQUIREMENTS TO THE ERP-SYSTEM IMPORTING THE EXT	TENDED MT040 0
5. REQUIREMENTS TO THE EXT-STSTEM BUT ONTING THE EXT	<u>ENDED W11940</u> 9
6. IF YOUR COMPANY HAS DECIDED TO USE THE EXTENDED M	TT0.40 1.0
6. IF YOUR COMPANY HAS DECIDED TO USE THE EXTENDED M	<u> 1194010</u>
7. USE OF THE EXAMPLES	11
7. USE OF THE EXAMPLES	<u>1 1</u>
8. SWEDISH ACCOUNT	12
8.1 AUTOGIRO (DIRECT DEBIT)	
8.1.1 EXAMPLE AUTOGIRO PAYMENTS	
8.1.2 FORMAT DESCRIPTION FOR AUTOGIRO PAYMENTS	
8.2 BANKGIRO INBETALNINGAR (BANKGIRO RECEIVABLES)	
8.2.1 EXAMPLE BANKGIRO RECEIVABLES PAYMENTS	
8.2.2 FORMAT DESCRIPTION FOR BANKGIRO RECEIVABLES	18
9. NORWEGIAN ACCOUNT	<u>20</u>
9.1 KID PAYMENTS	25
9.1.1 Example KID payments	
9.1.2 FORMAT DESCRIPTION FOR KID PAYMENTS	26
9.2 KID PAYMENTS WITH ERRORS	27
9.2.1 EXAMPLE KID PAYMENT WITH ERRORS	27
9.2.2 FORMAT DESCRIPTION FOR KID PAYMENTS WITH ERRORS	28
9.3 AUTOGIRO	29



9.3.1 EXAMPLE AUTOGIRO PAYMENTS	
9.3.2 FORMAT DESCRIPTION FOR AUTOGIRO PAYMENTS.	30
9.4 ELECTRONIC PAYMENTS	32
9.4.1 EXAMPLE ELECTRONIC PAYMENTS	32
9.4.2 FORMAT DESCRIPTION FOR ELECTRONIC PAYMENT	s33
9.5 GIRO PAYMENTS	35
9.5.1 EXAMPLE GIRO PAYMENTS	35
9.5.2 FORMAT DESCRIPTION FOR GIRO PAYMENTS	36
9.6 STRUCTURED PAYMENTS	37
9.6.1 Example structured payments	37
9.6.2 FORMAT DESCRIPTION FOR STRUCTURED PAYMENT	38

Change log

<u> </u>					
Version	Date	Change			
2.4.1	2013-10-07	Change log added			
2.4.2	2015-08-20	Name changes to NETS and BankGirot			
2.4.3	2023-03-23	Reviewed			



1. Introduction

The ERP-systems that most companies use have built-in functions to automatically accomplish reconciliation of financial transactions. However, the quality of the reconciliation is no better than the quality of the input information. To help companies improve the rate of automatically matched transactions, Danske Bank has developed the Extended MT940. Within the scope of the Standard MT940, the Extended MT940 should always provide as much relevant information to the receiver, as Danske Bank could possibly procure.

If the company has disposal of Swedish and/or Norwegian accounts in Danske Bank, use of this first version of the Extended MT940 should be considered. In the following sections the highlights and limitations of the Extended MT940 will be treated.

2. How to read this document

This document is addressed to decision makers and end users of companies using the MT940 sent from Danske Bank on Swedish and Norwegian accounts. The purpose is to describe the Extended MT940 delivered by Danske Bank. The description serves several purposes. Consult the following table in order to select those parts of the description relevant to you.

If you need to	Read section(s)
Know what facilities the Extended MT940 offers	3
Know about the limitations of the Extended MT940	4
Know about the requirements for use of the Extended MT940	5
Know what to do if your company wants to use the Extended MT940	6
Know the format of a Swedish, Extended MT940	8
Know the format of a Norwegian, Extended MT940	9
See some examples of a Swedish, Extended MT940	7, 8
See some examples of a Norwegian, Extended MT940	7, 9

If you find something unclear or erroneous, we would be very grateful to hear about it. In that case, send an email with your suggestions to integration-services@danskebank.com.



3. What is an Extended MT940?

3.1 What will companies get?

The MT940 is a standard defined by the S.W.I.F.T organization. The standard defines an electronic account statement. Danske Bank provides MT940s on a daily basis sent via either the SWIFT network or a direct connection to the companies owning the accounts.

The Extended MT940 differs from the Standard MT940 in the way, that Swedish and Norwegian global transactions on accounts in Danske Bank can be replaced by the single credit entries from the respective clearinghouses, which are Bankgirot (Bankgirocentralen BGC AB) in Sweden and Nets in Norway.

The specifications in the Swedish, Extended MT940 correspond to sum bookings on the account. The specifications in the Norwegian, Extended MT940 correspond to those given in the paper/E-Mail/Fax statement called "Melding om innbetaling" or "Melding om kreditering" from Nets.

3.2 How does it look?

The format of the Extended MT940 is similar to the format of the Standard MT940. Therefore, a detailed format description will not be shown in this document. Following the Internet-link http://www.danskebank.com/IntegrationServices and navigating to 'Formats by standard' -> 'SWIFT MT' will bring the reader to a detailed description of the Standard format as provided by Danske Bank.

In table 3-1 below, the fields of the Extended MT940 are summed up with comments and examples of use. The mapping shown for the fields 61 and 86 apply to Nets/Bankgirot specification entries only. The mapping for any other type of entries is unaffected compared to the Standard format. Thus, primarily we have described the former.

A more detailed description of fields 61 and 86 can be found in sections 8 and 9.



Table 3.1 Extended MT940 fields with examples of contents including an OCR entry from Bankgirot in Sweden.

MT940	Contents of field	Example data	Remarks
field	T (D (
20	Transaction Reference	3996- 4993172529	
25	Number Accountnumber	0100 4002172500	
		9180 4993172529	
28C	Statement/Sequence	473/1	
0014	Number		If oursent MTO 40 coguence is
60M	Intermediate Opening		If current MT940 sequence is
60F	Balance	G0000000000000000000000000000000000000	not the first in the statement.
-	Final Opening Balance	C230308SEK3682746,67	
61,1	Value Date	2303120809CK75,00NMSC05136551	The healing data is only
61,2	Booking Date	230312 0809 CK75,00NMSC05136551	The booking date is only
			available when using the
			MT940SW format, the special
			SAP MT940 does not display
61.2	Dobit / Cradit mark	2202120000 G V7E 000Mggq0E12CEE1	this date. 'C' or 'D'
61,3	Debit / Credit mark	2303120809 c K75,00NMSC05136551	
61,4	Funds Code	2303120809C K 75,00NMSC05136551	3 rd character of ISO Currency
C4 F	A	22021200000V7F 00NMgg0E12CEE1	Code
61,5	Amount	2303120809CK 75,00 NMSC05136551	(NIDT) for a constitution of
61,6	Transaction Type	1203120809CK75,00 NMSC 05136551	'NRTI' for a credit note
	Identification Code		'NMSC' otherwise
61,7	Reference for the Account Owner	2303120809CK75,00NMSC 05136551	See following sections for further examples
61,8	Account Servicing		Used for continuation of sub
	Institution's Reference ¹		field 61,7 , if contents of that
			field are more than 16
			characters.
61,9	Supplementary Details		Used for Nets transactions
			only
86	Information to Account	05136551	See following sections for
	Owner	OCOC200208120016300001	further examples
62M	Intermediate Closing		If current MT940 sequence is
	Balance		followed by another sequence
			in the same statement.
62F	Final Closing Balance	C230309SEK3235097,62	

¹ Note that Danske Bank's standard use of fields 61,8 and 61,9 are quite the opposite of, what the SWIFT standard prescribes.



MT940	Contents of field	Example data	Remarks
field			
64	Closing Available Balance	C230309SEK3243830,65	
86 Information to Account		This account is part of a	Global for the statement
	Owner	Group CashPool	



4. Which limitations do you meet?

4.1 The kind of entries that Danske Bank support

In sections 8 and 9 we have outlined the different kinds of entries/transactions that the Extended MT940 supports.

Regarding the Swedish Extended MT940 some facilities are not supported:

- The Extended MT940 does not support domestic Euro-specifications on Swedish accounts.
- If a company makes transfers via Bankgirot, which are internal to that company, specifications from Bankgirot do not match our bookings correctly. In short term, avoiding such internal transfers via Bankgirot would of course solve the problem.

4.2 The scope of the MT940-format

Danske Bank provides as much information from Nets and Bankgirot as possible in the Extended MT940. However, for each entry the space to hold the information is limited by the MT940 Standard. Most information, like name and address of payer, will be put into the field 'Information to Account Owner' with the field number 86. Field 86 is capable of containing 6 by 65 characters of information. In most situations this is sufficient, but sometimes it is not, and then information will be lost to the receiver.

Because of the limited capacity of field 86, we will pack the information, and separate some items by the character sequence "/" (blank, slash, blank). The packing includes replacing multiple, consecutive blank characters with a single blank.

In spite of the data packing, loss of information will happen now and then. To reduce the informational consequences of this loss, we have found the following priority of information in field 86 appropriate:

- 1. Payment references.
- 2. Message lines from payer.
- 3. Identification of debit account.
- 4. Name and address of payer.

4.3 Do alternatives to the Extended MT940 exist?

As an electronic statement the SWIFT MT940 is less flexible than the corresponding EDIFACT statement called a FINSTA (FINancial STAtement). For example textual messages in a FINSTA could be much larger. Furthermore a FINSTA allows a more firm structure of the information associated to a given entry. Danske Bank offers FINSTAs as an alternative to MT940s. However, currently detailed specifications of Swedish and Norwegian global amounts are only available in the Extended MT940.

Details in payment information might also be obtained from the EDIFACT / CREMUL format, that Danske Bank offers. But essentially a CREMUL is just a list of in payments without balance information and without



payment entries (debits). For Swedish accounts, a CREMUL could be produced in a HTML readable format in case a company is not able to interpret the CREMUL-format. In fact, the HTML-CREMUL is what we might propose in emergency situations, where the in payment specifications are temporarily unavailable via the Extended MT940.



5. Requirements to the ERP-system importing the Extended MT940

Use of the Extended MT940 requires features of the MT940-importing ERP-system to handle the following aspects of the Extended MT940:

- The ERP-system must support the Standard MT940 as per the SWIFT Standard.
- Though the global entries of Danske Bank will always be credit amounts (positive numbers), the specification amounts could very well be negative. For example, this is the case when the account owner grants a credit note to some creditor. Credit notes are recognized by the Transaction Type Identification Code of field 61 containing the value 'RTI'.
- Now and then specification amounts will be zero.
- Some specification amounts associated to the same global amount might be equal. In that case the contents of the message field can usually be used to distinguish between the equal amounts.
- In one MT940 the amounts are sorted, starting with the lowest, very often negative amounts. This implies that specification entries belonging to the same global amount might be 'mixed' with entries not associated to that global amount.
- In principle the number of entries into which a global transaction can be broken, is from one to any number.
- An aspect of using field 86 to hold information concerning a given entry is, that especially the specification file from Nets contains optional fields. This means that the format of the MT940 field 61 and 86 is not well defined. Moreover, as field 86 is a free format text field, it might occasionally be hard to identify the exact meaning of the information in that field. In the process of automatically matching data from the company's own ERP-system with data in the MT940, it is essential that key data can be identified in the MT940. Therefore, the information of the more firmly structured field 61 sometimes provides the best matching key.



6. If your company has decided to use the Extended MT940

If your company wants to use the Extended MT940, you should address your usual contact in Danske Bank. We will need the company to sign an agreement form. From the time Danske Bank receives the signed form, we will normally need 2 weeks until your company will receive the first Extended MT940.

There are a few things to be aware of about the first MT940:

If the company already receives	The statement number of the first Extended MT940 will be one			
MT940s from Danske Bank	higher than the last in the Standard format.			
If the type of MT940 that the company	The Extended MT940 will sum the cash pool sweeping transactions			
already receives, includes specifications	for a given account by			
for a cash pool account	- Account number of related account			
	- Value date			
	- Booking date			
If the company wants a Swedish,	From the first day the company receives the Extended MT940			
Extended MT940	Bankgirot will no longer be able to send a file containing the same			
	specifications directly to the company.			
If the company wants a Norwegian,	From the first day the company receives the Extended MT940 Nets			
Extended MT940	will no longer be able to send a file containing the same specifica-			
	tions directly to the company. Nor will Nets be able to deliver a			
	paper statement containing those specifications.			
If the company wants to test the	Danske Bank does not provide a special test MT940. This is			
Extended MT940	because Nets and Bankgirot cannot provide test specifications in a			
	form suitable to Danske Banks MT940 environment. Instead we			
	have enclosed some examples with comments given below.			



7. Use of the examples

In section 8 and 9 we will turn to some examples starting with the Swedish transaction types. For each example we will show a full MT940 illustrating a particular transaction type. We have enclosed the corresponding MT940 files for the reader to enter into a test ERP-system.

Data from Bankgirot and Nets are similar but not identical in structure. Therefore we have separated the descriptions accordingly. Complete but fictive MT940s are shown, and after each MT940 we comment on that particular message. We have tried to catch and show as many aspects of the Extended MT940 as possible and simultaneously to limit the volume of the examples. The Extended MT940 will always be compared to the Standard MT940, as the reader is supposed to be more familiar with the latter. Tables describing the full set of data that we receive from Bankgirot and Nets follow the examples.

The structure of the descriptions differs slightly between the Swedish and Norwegian examples. The Swedish examples are divided into separate examples for each transaction type. To each example an MT940-file is attached. The Norwegian examples are built upon one, large example file including all transaction types. However, the formats of entries of a given transaction type are described in turn.

The reader is encouraged to examine all examples for the country in interest in order to get the full benefit from the examples. It would even be useful to examine the full set of examples, because the examples illustrate general, country independent points in somewhat different manners.



8. Swedish account

Specifications for Swedish accounts are delivered to Danske Bank from Bankgirot in Sweden. A transaction specification from Bankgirot can be of two different types. Both are supported in the Extended MT940, and they are shown in table 8-1. A given global transaction is categorised into one of these two types.

Table 8-1 The two different, fundamental transaction types from BGC.

Transaction type
Autogiro (Direct Debit)
Bankgiro InbetaIningar (Receivables)

The contents of the MT940 fields 61 and 86 slightly depend on the transaction type, so let's investigate the transaction types in turn. Only the contents of those sub fields of field 61 that differ from the description in table 3-1 have been included.



8.1 Autogiro (Direct debit)

Autogiro is Swedish direct debit product in SEK. There are two different formats (an old and a new) —. Both formats are supported by Danske Bank. With Autogiro you have different formats for notification of mandates and. Regarding the Extended MT940, only the in payments can be broken up and that is the layout "Payment specifications".

Examples of Autogiro are shown below. The comments will guide you through the example. In section **Error! Reference source not found.** we have given a more formal description of the format. The raw MT940 is available in a separate document called "Extended MT940 – examples and txt documents". Follow the link in that document called "Autogiro example.txt.

8.1.1 Example Autogiro payments

The following example reflects the bookings on a fictive account 1241-55-09356 in Danske Bank shown in table 8.4-1. The emphasised line is the global amount to be broken into detailed entries. In table 8.4-2 we have shown an example of the standard MT940 compared to the Extended MT940. The notes of that table refer to explanations beneath the table.

Table 8.4-1 Bookings including global Autogiro payment.

Booking	Value	Text	Amount	Balance
date	date		(SEK)	(SEK)
13.04	13.04	Opening balance		2.540,22
13.04	14.04	AUTOGIRO 51770825	40,01	2.580,23
13.04	14.04	Transf. 12307114578	10.000,00	12.580,23



Table 8.4-2 Example of MT940 in standard and extended version. The two versions show the same transactions, but the latter contains specifications instead of global amounts and vice versa. For an explanation of field numbers, refer to table 3-1. The entries shown correspond to the bookings of table 8.1-1.

	Standard MT940			Extended MT940		
Note	Field	Text	Note	Field	Text	
	20	3996-41-01-07656		20	3996-41-01-07656	
	25	DABADKKK-1241-55-09356		25	DABADKKK-1241-55-09356	
	28C	00112/006		28C	00112/006	
	60F	D230312SEK2540,22		60F	D230312SEK2540,22	
	61	2303130312CK40,01NMSC7899973276	2.1	61	2303130312CK30,01NMSC7899973276	
	86	7899973276 / 51770825	2.2	86	7899973276 / 51770825	
	86	DABADKKK		86	DABADKKK	
	86	1241-55-09356		86	1241-55-09356	
	86	DANSKE BANK HOLMENS KANAL 2-12		86	DANSKE BANK HOLMENS KANAL 2-12	
	61	2303130312CK10000,00NMSC7899973276	3.1	61	2303130312CK10,00NMSC7898873209	
	86	7899973276 / 51770825	3.2	86	7898873209 / 51770825	
	86	DABADKKK		86	DABADKKK	
	86	1241-55-09356		86	1241-55-09356	
	86	DANSKE BANK HOLMENS KANAL 2-12		86	DANSKE BANK HOLMENS KANAL 2-12	
1.1	62M	D230312SEK12580,23		61	2303130312CK100000,00NMSC7899973276	
1.2	64	C230312SEK0,		86	7899973276 / 51770825	
				86	DABADKKK	
				86	1241-55-09356	
				86	DANSKE BANK HOLMENS KANAL 2-12	
				62F	D230312SEK12580,23	
				64	C230312SEK0,	

Note Explanation

- 1.1 1.2 Global amount. The amount will always be a positive number.
- 2.1,3.1 These emphasized lines contain the specifications of the global amount (note 1.1 1.2). The global amount is not included in the extended MT940.
- 2.2,3.2 In this line, information has been packed. The single items have been separated by slashes.

8.1.2 Format description for Autogiro payments

In table 8.4-3 we have shown the data items that Danske Bank receives from Bankgirot for each specification entry. Note that some items might be empty depending of what was provided by the sender. Finally, the



format of the MT940 fields related to each specification entry is described in table 8.4-4.

Table 8.4-3 Data items for each specification entry as received from Bankgirot. The example data is copied from the entry in table 8.4-2 labelled 3.1-3.2.

Item	Description of item	Example data	
number			
1.	Credit Account	12415509356	
2.	BGC Number of beneficiary	51770825	
3.	Invoice/Payment Reference	7899973276	
4.	Currency Code	SEK	
5.	Amount	30,01	
6.	Booking Date	230313	

Table 8.4-4 Mapping of the data items of table 8.4-3 to the MT940, field 61 and 86. Some items are not used for this transaction type. MT940 sub fields not shown are formatted like the standard MT940, and thus not described here.

MT940	Field name	Item number from	Remarks
Field		specification file	
61,1	Value Date	Not available	Value Date of global amount is used.
61,7	Reference to Account Owner	3	If item is empty then 'NONREF'.
86,1-6	Information to Account Owner,	2, 3	
	Line 1 – 6		



8.2 Bankgiro Inbetalningar (Bankgiro Receivables)

Bankgiro Inbetalningar (Bankgiro Receivables) is the product for advising inpayments via Bankgirot. Bankgiro Receivables is a complete deposit service which advice all payments paid via Bankgirot, despite Autogiro (Direct debit).

Examples of Bankgiro Receivables are shown below. The comments will guide you through the examples. The raw MT940 is available in a separate document called "Extended MT940 – examples and txt documents". Follow the link in that document called "Bankgiro Receivables example.txt".

8.2.1 Example Bankgiro Receivables payments

The following example reflects the bookings on a fictive account 1202-25-71170 in Danske Bank shown in table 8.5-1. The emphasized line is the global amount to be broken into detailed entries. In table 8.5-2 we have shown an example of the standard MT940 compared to the Extended MT940. The notes of that table refer to explanations under the table.

Table 8.5-1 Bookings including global Bankgiro Deposits payment.

Booking	Value	Text	Amount	Balance
date	date		(SEK)	(SEK)
13.04	13.04	Opening balance		3.000,00
13.04	14.04	BI 51660885 00001	20,10	3.020,10
13.04	14.04	Transf. 12410011452	10.000,00	13.020,10



Table 8.5-2 Example of MT940 in standard and extended version. The two versions show the same transactions, but the latter contains specifications instead of global amounts and vice versa. For an explanation of field numbers, refer to table **3.1**. The entries shown correspond to the bookings of table 8.5-1.

	Standard MT940			Extended MT940		
Note	Field	Text	Note	Field	Text	
	20	3996-02-25-71170		20	3996-02-25-71170DABADKKK/	
	25	DABADKKK/1202-25-71170		25	DABADKKK/1202-25-71170	
	28C	00001/002		28C	00001/002	
	60M	C230304SEK3000,00		60M	C230304SEK3000,00	
1.1	61	230304CK 20,10NMSC BI 51660885 00001	2.1	61	230304CK 10,00NMSC1012345607	
1.2	86	MSC?20 BI 51660885 00001	2.2	86	MSC?20REF NR 1012345607 / RAD 1 MED REF 1098765405 /	
					01020888	
	61	230304CK 10000,00NMSC Transf. 12410011452	3.1	61	230304CK 10,10NMSC1012345607	
	86	MSC?20 Transf. 12410011452	3.2	86	MSC?201012345607 / 00000000?30DABADKKK?311201-15-	
					72770?32DANSKE BANK	
	62F	C230305SEK13020,10		61	230304CK 10000,00NMS1012345607	
				86	MSC?20REF NR 1012345607 / RAD 1 MED REF 1012345607	
				62F	C230305SEK13020,10	

Note Explanation

- 1.1 1.2 Global amount. The amount will always be a positive number.
- 2.1,3.1 These emphasized lines contain the specifications of the global amount (note 1.1-1.2). The global amount is not included in the extended MT940.
- 2.2,3.2 In this line, information has been packed. The single items have been separated by slashes.

8.2.2 Format description for Bankgiro Receivables

In table 8.5-3 we have shown the data items that Danske Bank receives from Bankgirot for each specification entry. Note that some items might be empty depending of what was provided by the sender. Finally, the format of the MT940 fields related to each specification entry is described in table 8.5-4.



Table 8.5-3 Data items for each specification entry as received from Bankgirot. The example data is copied from the entry in table 8.5-2 labelled 2.1-2.2.

Item	Description of item	Example data	
number			
1.	Credit Account	12022571170	
2.	BGC Number of beneficiary	01020888	
3.	Invoice/Payment Reference	Reference per payment type: 20: 1012345607 21: 22: REF NR 1012345607 23:	
4.	Currency Code	SEK	
5.	Amount	10,00 (The payment can be negative if the payment type is 21 or 23)	
6.	Booking Date	230304	
7.	Name and address of payer		

Table 8.5-4 Mapping of the data items of table 8.4-3 to the MT940, field 61 and 86. Some items are not used for this transaction type. MT940 sub fields not shown are formatted like the standard MT940, and thus not described here.

MT940 Field	Field name	Item number from specification file	Remarks
61,1	Value Date	Not available	Value Date of global amount is used.
61,7	Reference to Account Owner	3	If item is empty then 'NONREF'.
86,1-6	Information to Account Owner,	2, 3,7	
	Line 1 – 6		



9. Norwegian account

Specifications for Norwegian accounts are delivered to Danske Bank from Nets in Norway. As a basis for the Extended MT940, Danske Bank uses Nets' service called "eGiro innbetaling" via the file format EDIFACT/CREMITE.

A transaction specification from Nets can be of six different, fundamental types, all of which are supported in the Extended MT940, and they are shown in table 9-1. A given global transaction is categorized into one of these six types depending on its text reference.

If a company receives a standard MT940 on a Norwegian account, there will in general be no global transactions. Instead, every single transaction will be present in the MT940. But in contrast to the Extended MT940, the amount of information for each single transaction will be rather poor compared to the corresponding information on paper received from Nets. In particular this is true for accounts in Danske Bank, Norway.

While examining the transaction types in turn, the reader may wonder, why the features of those types seem to overlap. Strictly speaking, the reason for having six transaction types is more historical than based on systematic arguments. So, don't get confused, just accept realities.

In the following sections we have briefly defined the transaction types in turn. For further information on the various transaction types, contact Nets (www.nets.eu).

Table 9-1 The six different, fundamental transaction types from Nets.

Transaction type ²
Valid KID payment (type code 230)
Payment with invalid KID (type code 231)
Auto Giro payment (type code 232)
Electronic payment (type code 233)
Giro payment (type code 234)
Structured payment (type code 240)

The contents of the MT940 fields 61 and 86 slightly depend on the transaction type, so let's investigate the six transaction types in turn. Only the contents of those sub fields of field 61 that differ from the description in table 3-1 have been included.

All payment types are represented in the following example, which covers one day's bookings on the fictive account 81791005000. Of course, not all types need be present on a given booking day. On the other hand, a given type can occur with more than one entry. The bookings are shown in table 9-2.

² In the CREMUL format, transaction types are identified by so called BOLS codes, which are essentially the text codes giving the texts shown in the table column "Text reference of global transaction". The BOLS codes are shown in (…) like "(type code 231)".



Table 9-2 Bookings on account 81791005000 with booking date June 27th 2022.

Booking Date	Value date	Text	Amount (NOK)	Balance (NOK)
27.06		Opening balance	(11011)	91.308.888,88-
27.06	27.06	CREMUL Elektr.indb.Total	6.000.000,00	•
27.06	27.06	CREMUL m/KID Total 01927	46.319,65	·
27.06	27.06	CREMUL m/fejl KID Total	49.635,00	·
27.06	27.06	Corr., prev. exec. Trans	5.000.000,00-	90.212.934,23-
27.06	27.06	Overførsel	50.033,66	90.162.900,57-
27.06	27.06	CREMUL Elektr.indb.Total	3.646.583,83	86.516.316,74-
27.06	27.06	CREMUL AutoGiro Total 00	2.911.264,27	83.605.052,47-
27.06	27.06	CREMUL Giro indb. Total	151.723,00	83.453.329,47-
27.06	27.06	CREMUL m/strukt Total	0,00	83.453.329,47-

The specifications of these bookings were reported in an Extended MT940. The raw MT940 is available in a separate document called "Extended MT940 – examples and txt documents". Follow the link in that document called "Norwegian example.txt".

In table 9-3 the contents of the file is shown compared to the corresponding MT940 in standard format. The emphasized lines of the standard MT940 part of the table are the global amounts to be broken into detailed entries. Comments to table 9-3 can be found in the following sections.



Table 9-3 Example of MT940 in standard and extended version. The two versions show the same transactions, but the latter contains specifications instead of global amounts and vice versa. For an explanation of field numbers, refer to table 3-1. The entries shown correspond to the bookings of table 9-2. Note that some MT940 lines of the standard format are divided into two rows in the table, because the Text column is not wide enough.

	Standard MT940			Extended MT940		
Note	Field	Text	Note	Field	Text	
	20	3996-79.10.05000		20	3996-79.10.05000	
	25	8179.10.05000		25	8179.10.05000	
	28C	00258/00001		28C	00258/00001	
	60F	D220626NOK91308888,88		60F	D220626NOK91308888,88	
	61	2206270627DK5000000,NMSCBBSREF 878160498		61	2206270627DK5000000,NMSCBBSREF 878160498	
	86	Corr., prev. exec. Trans / BBSREF 878160498		86	Corr., prev. exec. Trans / BBSREF 878160498	
		49293391160			0000049293391160	
		Danske Bank			Danske Bank	
0a	61	2206270627CK46319,65NMSCBBSREF 90000000//	2.3a	61	2206270627DK10000,NRTI890033765	
		09216711201				
0b	86	CREMUL w/KID 09216711201 / BBSREF 90000000	2.3b		*98200005	
1a	61	2206270627CK49635,NMSCBBSREF 90000000//	2.3c	86	890033765/198 AG/33175270570/9112083/3160024	
		01202917191				
1 b	86	CREMUL w/err 01202917191 / BBSREF 90000000	2.3d		052260303067	
	61	2206270627CK50033,66NMSCBBSREF	3A.2a	61	2206270627CK0,NMSC3020575564	
		741690594//Transfer				
	86	BBSREF 741690594	3A.2b		757499575	
		FANA SPAREINSTITUT, HER + NA, FELLESDATA	3A.2c	86	3020575564 / GALLE ANDELSFARM BA / FAKTURA 3111044	
4a	61	2206270627CK151723,NMSCBBSREF 90000000//	3A.2d		16.222,08 NOK 16222,08 BILAGSN R HOS OSS T 155.129,59/	
		09278011951				
4b	86	CREMUL Giro 09278011951/BBSREF 90000000	3A.2e		45315020278	
2a	61	2206270627CK2911264,27NMSCBBSREF 90000000//	3A.2f		GALLE ANDELSFARM BA	
		07919852011				
2b	86	CREMUL AGiro 07919852011 / BBSREF 90000000	3A.2g		POSTBOKS 2487 / POSTTERMINALEN / 3103 TØNSBERG	
3Aa	61	2206270627CK3646583,83NMSCBBSREF 90000000//	1.1a	61	2206270627CK4184,5NMSC1682159	
		08012791947				
3Ab	86	CREMUL Elec. 08012791947 / BBSREF 90000000	1.1b		*90000000	
3Ba	61	2206270627CK6000000,NMSCBBSREF 90000000//	1.1c	86	1682159 / 1100020010683436703 / 81056401148	
		08719194720				
3Bb	86	CREMUL Elec. 08719194720/BBSREF 90000000	1.1d		HOVEDGÅRD PRODUKT	
5a	61	2206270627CK0,NMSCBBSREF 90000000//	2.2a	61	2206270627CK10000,NMSC890033765	
		09942797011				
5b	86	CREMUL Struc 09942797011/BBSREF 90000000	2.2b		*98200005	



	Standard MT940			Extended MT940		
Note	Field	Text	Note	Field	Text	
.e	d		(Đ	ā		
	62F	D220627NOK83453329,47	2.2c	86	890033765 / 198 AG / 33175270570 / 9112083 / 3160024	
	64	D220627NOK83453329,47	2.2d		052260303067	
	86	For your inform. IBAN no. NO5181791005000	1.2a	61	2206270627CK45450,5NMSC1682159	
			1.2b		*90000000	
			1.2c	86	1682159 / 1100020010683432354 / 81056401148	
			1.2d		HOVEDGÅRD PRODUKT	
			0.1a	61	2206270627CK46319,65NMSC95114510	
			0.1b		419056171	
			0.1c	86	95114510/07096018/46250720807	
			0.1d		HILTMANN OLLE	
				61	2206270627CK50033,66NMSCBBSREF 741690594//Transfer	
				86	BBSREF 741690594	
					FANA SPAREINSTITUT, HER + NA, FELLESDATA	
			4.1a	61	2206270627CK151723,NMSC5506160863	
			4.1b		*66789396	
			4.1c	86	5506160863 / 30132476119	
			3B.1a	61	2206270627CK2514756,49NMSC20690167911	
			3B.1b		204519074	
			3B.1c	86	20690167911 / Roma 47 Norge AS BETALT 27.06.22 / 73042470905	
			3B.1d		Roma 47 Norge AS	
			3B.1e		Postboks 9248 Etterstad	
			3B.1f		0605 OSLO	
			2.1a	61	2206270627CK2911264,27NMSC711122973	
			2.1b		*98200004	
			2.1c	86	711122973/198 AG/17775002115/9112083/3160024	
			2.1d		052260303067	
			3B.2a	61	2206270627CK3484243,51NMSC2038900369	
			3B.2b		747700795	
			3B.2c	86	2038900369 / CARL VEIMANN AS / fakt kr 3712981,35	
			3B.2d		3.484.243,51 minus tilgode 228737,84 forfall 27,06,2022/	
			3B.2e		70010634928	
			3B.2f		CARL VEIMANN AS	
			3B.2g		BAKKEVEI 11 C	
			3B.2h		POSTBOKS 101 ALNABRU / 0614 OSLO	
			3A.1a	61	2206270627CK3646583,83NMSC2370302588	
			3A.1b		472090541	
			3A.1c	86	2270302588 / KONCERT KROEN AS / FAKT.NR.3110152	
			3A.1d		508.713,53 FAKT.DATO.28.05.2022 FAKT.NR .3112410	



		Standard MT940	Extended MT940		Extended MT940
Note	Field	Text	Note	Field	Text
			3A.1e		3.000.000,00 FAK T.DATO.28.05.2022 FAKT.NR.3111392
			3A.1f		137.870,30 FAKT.DATO.28.05.2022 / 82094670492
			3A.1g		KONCERT KROEN AS / ÅRØSETERBAKKEN 1 / 6422 MOLDE
			5.1a	61	2206270627CK100,00NMSC0175430
			5.1b	86	0175430 / 5415671236892343 / 20030627 / 4824155
			5.1c		Elektroniske AS
			5.2a	61	2206270627CK200,00NMSC0143570
			5.2b	86	0143570 / 3434136856751292 / 20030627 / 4824155
			5.2c		Elektroniske AS
			5.3a	61	2206270627DK300,00NMSC5804301
			5.3b	86	5804301 / 2574736956733201 / 20030627 / 4824155
			5.3c		Elektroniske AS
				62F	D220627NOK83453329,47
				64	D220627NOK83453329,47
				86	For your inform. IBAN no. NO5181791005000



9.1 KID payments

A "KID" is short for "KundelDentifikation" or customer identification. This Nets term is widely used in Norway, and it is more general than just to identify a customer. It's use depends very much of the user, who made a payment service agreement with Nets. But it is common that the KID identifies both the payment and the payer to the beneficiary. Examples of KID payments are shown in table 9-3 and commented in section 9.1.1. The comments will guide you through the example. In section 9.1.2 we have given a more formal description of the format.

9.1.1 Example KID payments The following notes refer to table 9-3.

Note	Explanation
0a – b	Global transaction for KID payment in standard MT940 format.

0.1a – d Specification entry to global transaction. In this – quite unusual – case there's only one specifying entry. So, of course the amounts of the entry must be equal to the corresponding global amount. For a detailed description of the single items that make up the entire entry, see table 9.1-2 and 9.1-3.



9.1.2 Format description for KID payments

In table 9.1-2 we have shown the data items that Danske Bank receive from Nets for each specification entry. Note that some items might be empty depending of what was provided by the sender. Finally, in table 9.1-3 the format of the MT940 fields related to each specification entry is described.

Table 9.1-2 Data items for each specification entry as received from Nets. The example data is copied from the entry in table 9-3 labelled 0.1a - 0.1d. Apart from a few unimportant items, the example represents the total information of one specifying transaction.

Item	Description of item	Example data
number		
1	Value Date	20220627
2	Nets Reference Date	20220627
3	Nets reference number	01202917191
4	Date of reception at Nets	20220626
5	Credit Account number	81791005000
6	Debit Account number	46250720807
7	Archive Reference	419056171
8	KID Reference	95114510
9	Amount	46319,65
10	Name and address of beneficiary	(Empty)
11	Name and address of payer	(Empty)
12	Payer ID Payer ID	07096018
13	Sender's name and address	HILTMANN OLLE
14	Receiver's name and address	(Empty)
15	Document number	2022062715150015
16	Text reference on Credit Account	FRA: HILTMANN OLLE BETALT: 26.06.22

Table 9.1-3 Mapping of the data items of table 9.1-2 to the MT940, field 61 and 86. Some items are not used for this transaction type. MT940 sub fields not shown are formatted like the standard MT940, and thus not described here.

MT940	Field name	Item number from	Remarks
field		specification file	
61,2	Booking Date	Not available	Booking Date of global amount!
61,7	Reference to Account Owner	8	
61,9	Account Servicing Institution's	7	
	Reference		
86,1-6	Information to Account Owner,	8, 12, 6, 13	If item 13 is empty, then 11 is used.
	Line 1 – 6		



9.2 KID payments with errors

This transaction type is identical to the KID payments type. The global transactions of KID payments and KID payments with errors differ in their booking texts, whereas the individual, detailed entries are usually indistinguishable. So, whether a KID payment has a wrong KID or not is only possible to determine from the contents of the specifications, if a KID reference is simply not present. In that case, the text 'No KID' will appear instead of a KID reference. Otherwise, the ERP-system will fail to match the entry to any of its own invoice registrations, unless it uses other data items for the match, such as amount combined with payer ID.

Examples of KID payments with error are shown in table 9-3 and commented in section 9.2.1. The comments will guide you through the example. In section 9.2.2 we have given a more formal description of the format.

9.2.1 Example KID payment with errors

The following notes refer to table 9-3.

Note	Explanation
1a-b	Global transaction for KID payment with error in standard MT940 format.
1.1a-d	Specification entry to global transaction. In this – quite <i>usual</i> – case there's only one specifying entry. For a detailed description of the single items that make up the entire entry, see table 9.2-2 and 9.2-3.



9.2.2 Format description for KID payments with errors

In table 9.2-1 we have shown the data items that Danske Bank receive from Nets for each specification entry. Note that some items might be empty depending of what was provided by the sender. Finally, in table 9.2-2 the format of the MT940 fields related to each specification entry is described.

Table 9.2-1 Data items for each specification entry as received from Nets. The example data is copied from the entry in table 9-3 labelled 1.1a - 1.1d. Apart from a few unimportant items, the example represents the total information of one specifying transaction.

Item	Description of item	Example data	
number			
1	Value Date	20220627	
2	Nets Reference Date	20220627	
3	Nets reference number	07110929300	
4	Date of reception at Nets	20220627	
5	Credit Account number	81791005000	
6	Debit Account number	81056401148	
7	Archive Reference	*90000000	
8	KID Reference	1682159	
9	Amount	4184,5	
10	Name and address of beneficiary	(Empty)	
11	Name and address of payer	HOVEDGÅRD PRODUKT	
12	Payer ID Payer ID	1100020010683436703	
13	Sender's name and address	(Empty)	
14	Receiver's name and address	(Empty)	
15	Document number	2022062715150015	
16	Text reference on Credit Account	TANJA NORSK / HOVEDGÅRD PRODUKT	

Table 9.2-2 Mapping of the data items of table 9.2-1 to the MT940, field 61 and 86. Some items are not used for this transaction type. MT940 sub fields not shown are formatted like the standard MT940, and thus not described here.

MT940 field	Field name	Item number from specification file	Remarks
61,2	Booking Date	Not available	Booking Date of global amount!
61,7	Reference to Account Owner	8	
61,9	Account Servicing Institution's	7	
	Reference		
86,1-6	Information to Account Owner,	8, 12, 6, 13	If item 13 is empty, then 11 is used.
	Line 1 – 6		



9.3 Autogiro

Another expression for Autogiro is Direct Debit. The payer allows the beneficiary to draw the amount due to the beneficiary on the payer's account through Nets. Nets administrates the agreement. Once the agreement has been settled, the beneficiary can draw the outstanding debts without any interference by the payer. One very common use of Autogiro transactions is subscriptions: Magazine fees, rent, insurance premium etc.

Examples of Autogiro payments are shown in table 9-3 and commented in section 9.3.1. The comments will guide you through the example. In section 9.3.2 we have given a more formal description of the format.

9.3.1 Example Autogiro payments

The following notes refer to table 9-3.

Note	Explanation
2a-b	Global Autogiro transaction.
2.1 a-d, 2.2 a-d, & 2.3a-d	Two specification entries. The entries do not appear right after each other. As the entries have been sorted in the MT940 with the lowest amounts first, entries of any kind can follow any other kind.
2.1 a-d	A detailed description of this entry is given in table 9.3-1. It is worth noting, that information in Autogiro transactions has the form of numerical references, not names and addresses or text references.
2.2c-d	In this case, the last item of field 86 in the MT940 actually consists of two separate numbers.
2.3a-d	This entry has a negative amount and balances entry 2.2a-d. It is supposed to illustrate a situation, where a customer (payer) has cancelled an agreement, but the invoice was already sent, so the beneficiary made a credit note.



9.3.2 Format description for Autogiro payments

In table 9.3-1 we have shown the data items that Danske Bank receive from Nets for each specification entry. Note that some items might be empty depending of what was provided by the sender. Finally, in table 9.3-2 the format of the MT940 fields related to each specification entry is described.

Table 9.3-1 Data items for each specification entry as received from Nets. The example data is copied from the entry in table 9-3 labelled 2.1a – 2.1d. Apart from a few unimportant items, the example represents the total information of one specifying transaction.

14			
Item	Description of item	Example data	
number			
1	Value Date	20220627	
2	Nets Reference Date	20220627	
3	Nets reference number	00971034969	
4	Date of reception at Nets	20220627	
5	Credit Account number	81791005000	
6	Debit Account number	Not available	
7	Archive Reference	*98200004	
8	Payment Order Reference	711122973	
9	Amount	2911264,27	
10	Name and address of beneficiary	Not available	
11	Name and address of payer	Not available	
12	PayerID	3160024 052260303067	
13	Sender's name and address	Not available	
14	Receiver's name and address	Not available	
15	Document number	2022062715150015	
16	Text reference on Credit Account	Not available	
17	Sender's Reference	Not available	
18	Autogiro Creditor Reference	198 AG	
19	Autogiro Debtor Reference	17775002115	
20	Autogiro Agreement Number	9112083	



Table 9.3-2 Mapping of the data items of table 9.3-1 to the MT940, field 61 and 86. Some items are not used for this transaction type. MT940 sub fields not shown are formatted like the standard MT940, and thus not described here.

MT940	Field name	Item number from	Remarks
field		specification file	
61,2	Booking Date	Not available	Booking Date of global amount!
61,7	Reference to Account Owner	8	If empty, item 18 is used
			If item 18 is empty, item 19 is used
			If item 19 is empty, item 20 is used
61,9	Account Servicing Institution's	7	
	Reference		
86,1-6	Information to Account Owner,	8, 18, 19, 20, 12	
	Line 1 – 6		



9.4 Electronic payments

This is a very general kind of payments. Except for Autogiro, it more or less covers the features of all other payment types. It seems to be designed to meet the requirements of pure electronic transfers as for example initiated by office banking systems. Therefore, the possible amount of information is larger than for any other payment type.

Examples of Electronic payments are shown in table 9-3 and commented in section 9.4.1. The comments will guide you through the example. In section 9.4.2 we have given a more formal description of the format.

9.4.1 Example Electronic payments

The following notes refer to table 9-3.

Note	Explanation
3Aa-b &	Global Electronic Payment transactions. Up to four transactions of the same type are possible for
3Ba-b	Norwegian Nets transactions. Early morning, morning, afternoon and final settlement.
3A.1a-g & 3A.2a-g	Two entries corresponding to global 3Aa-b.
3B.1a-f & 3B.2a-h	Two entries corresponding to global 3Ba-b.
3A.1c-h	For this transaction type, field 86 of the MT940 is very likely sooner or later to get too small. All six lines have been used in this case. This is due to the long message from the sender. See table 9.4-1 for further details on this specific entry. The message lines are concatenated, and therefore the message doesn't appear as pretty as the sender probably meant it to be. Anything else would use further space, which we cannot afford to waste.
3A.2a	A zero amount just to show, that zero payments are possible too.



9.4.2 Format description for Electronic payments

In table 9.4-1 we have shown the data items that Danske Bank receive from Nets for each specification entry. Note that some items might be empty depending of what was provided by the sender. Finally, in table 9.4-2 the format of the MT940 fields related to each specification entry is described.

Table 9.4-1 Data items for each specification entry as received from Nets. The example data is copied from the entry in table 9-3 labelled 3A.1a-3A.1h. Apart from a few unimportant items, the example represents the total information of one specifying transaction.

Item	Description of item	Example data	
number	·	·	
1	Value Date	20220627	
2	Nets Reference Date	20220627	
3	Nets reference number	02919017158	
4	Date of reception at Nets	20220627	
5	Credit Account number	81791005000	
6	Debit Account number	82094670492	
7	Archive Reference	472090541	
8	Payment Order Reference	2370302588	
9	Amount	3646583,83	
10	Name and address of beneficiary	(Empty)	
11	Name and address of payer	(Empty)	
12	Payer ID Payer ID	(Empty)	
13	Sender's name and address	KONCERT KROEN AS	
		ÅRØSETERBAKKEN 1	
		6422 MOLDE	
14	Receiver's name and address	TANJA OB	
		POSTBOKS 54 ØKERN	
		0508 OSLO	
15	Document number	2022062715150015	
16	Text reference on Credit Account	KONCERT KROEN AS	
17	Sender's Reference	FAKT.NR.3110152 508.713,53	
		FAKT.DATO.28.05.2022	
		FAKT.NR.3112410 3.000.000,00	
		FAKT.DATO.28.05.2022	
		FAKT.NR.3111392 137.870,30	
		FAKT.DATO.28.05.2022	



Table 9.4-2 Mapping of the data items of table 9.4-1 to the MT940, field 61 and 86. Some items are not used for this transaction type. MT940 sub fields not shown are formatted like the standard MT940, and thus not described here.

MT940	Field name	Item number from	Remarks
field		specification file	
61,2	Booking Date	Not available	Booking Date of global amount!
61,7	Reference to Account Owner	8	
61,9	Account Servicing Institution's	7	
	Reference		
86,1-6	Information to Account Owner,	8, 16, 17, 6, 13	If item 13 is empty, then 11 is used.
	Line 1 – 6		



9.5 Giro payments

This transaction type involves some kind of payment form, which the beneficiary sends to the payer with some payment references pre printed. These references appear in the information from Nets for this type.

Examples of Giro payments are shown in table 9-3 and commented in section 9.5.1. The comments will guide you through the example. In section 9.5.2 we have given a more formal description of the format.

9.5.1 Example Giro payments

The following notes refer to table 9-3.

Note	Explanation
4a-b	Global Giro transaction.
4.1a-c	A single specification entry. Usually more than one is seen. The amount of information is rather poor. Essentially, the payment order reference is all we have together with the amount.



9.5.2 Format description for Giro payments

In table 9.5-1 we have shown the data items that Danske Bank receive from Nets for each specification entry. Note that some items might be empty depending of what was provided by the sender. Finally, in table 9.5-2 the format of the MT940 fields related to each specification entry is described.

Table 9.5-1 Data items for each specification entry as received from Nets. The example data is copied from the entry in table 9-3 labelled 4.1a – 4.1c. Apart from a few unimportant items, the example represents the total information of one specifying transaction.

Item	Description of item	Example data
number		
1	Value Date	20220627
2	Nets Reference Date	20220627
3	Nets reference number	01927901605
4	Date of reception at Nets	20220627
5	Credit Account number	81791005000
6	Debit Account number	30132476119
7	Archive Reference	*66789396
8	Payment Order Reference	5506160863
9	Amount	151723,00
10	Name and address of beneficiary	(Empty)
11	Name and address of payer	(Empty)
12	Payer ID Payer ID	Not available
13	Sender's name and address	(Empty)
14	Receiver's name and address	(Empty)
15	Document number	2022062715150015
16	Text reference on Credit Account	Not available
17	Sender's Reference	Not available

Table 9.5-2 Mapping of the data items of table 9.5-1 to the MT940, field 61 and 86. Some items are not used for this transaction type. MT940 sub fields not shown are formatted like the standard MT940, and thus not described here.

MT940	Field name	Item number from	Remarks
field		specification file	
61,2	Booking Date	Not available	Booking Date of global amount!
61,7	Reference to Account Owner	8	
61,9	Account Servicing Institution's	7	
	Reference		
86,1-6	Information to Account Owner,	8, 6, 13	If item 13 is empty, then 11 is used.
	Line 1 – 6		



9.6 Structured payments

A structured payment is nearly the same as "KID payments". The difference between "structured payments" and "KID payments" is that a global entry for a structured payment can be detailed much more than is the case for global entries of "KID payments". As a consequence credit notes (negative amounts) might occur in specification entries. The use of structured payments depends very much of the user, who made a payment service agreement with Nets. But it is common that the KID identifies both the payment and the payer to the beneficiary. Examples of structured payments are shown in table 9-6.2 and commented in section 9.6.1. The comments will guide you through the example. In section 9.6.2 we have given a more formal description of the format.

9.6.1 Example structured payments The following notes refer to table 9-3.

Note	Explanation
5a-b	Global transaction for structured payment in standard MT940 format.
5.1a –	Specification entries to global transaction. In this case there are three specifying entries, containing
5.3c	"KID payments". So, the sum of amounts on "KID payments" must be equal to the corresponding global amount.
5.1a – c	For a detailed description of the single items that make up the entire entry, see table 9.6-2 and 9.6-3.
5.3a – c	This entry has a negative amount and balances entries $5.1a - 5.2c$. It is supposed to illustrate a situation, where a customer (payer) has cancelled an agreement, but the invoices were already sent, so the beneficiary made a credit note.



9.6.2 Format description for structured payments

In table 9.6-2 we have shown the data items that Danske Bank receive from Nets for each specification entry. Note that some items might be empty depending of what was provided by the sender. Finally, in table 9.6-3 the format of the MT940 fields related to each specification entry is described.

Table 9.6-2 Data items for each specification entry as received from Nets. The example data is copied from the entry in table 9-3 labelled 5.1a - 5.1c. Apart from a few unimportant items, the example represents the total information of one specifying transaction.

Item	Description of item	Example data
number		
1	Value Date	20220627
2	Credit account number	81051234567
3	Amount (debit/credit)	100,00
4	Reference to Account Owner	0175430
5	Archive Reference	(Empty)
6	KID Reference	5415671236892343
7	Document date	20220627
8	Beneficiary number	4824155
9	Name and address of payer	Elektroniske AS

Table 9.6-3 Mapping of the data items of table 9.6-2 to the MT940, field 61 and 86. Some items are not used for this transaction type. MT940 sub fields not shown are formatted like the standard MT940, and thus not described here.

MT940	Field name	Item number from	Remarks
field		specification file	
61,2	Booking Date	Not available	Booking Date of global amount!
61,5	Amount	3	Amount of specification payment. Credit (if credit note) or debit.
61,7, 61,8	account owners reference	4	For example invoice number
86,1-6	Information to Account Owner, Line 1 – 6	4, 5, 6, 7, 8, 9	